











































NO	Model	Appearance	Specification	price
1	IPC-HDW1230T1-S5		<p>2MP Dome Network Camera 25/30fps@1080P 2.8 or 3.6mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic</p> <div>        </div>	25,000,000
2	IPC-HFW1230S1-S5		<p>2MP Bullet Network Camera 25/30fps@1080P 2.8 or 3.6 Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic</p> <div>        </div>	25,000,000
3	IPC-HFW1239S1-LED-S5		<p>2MP Bullet Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic</p> <div>         </div>	33,500,000
4	IPC-HDW1239T1-LED-S5		<p>2MP Dome Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic</p> <div>         </div>	33,500,000

NO	Model	Appearance	Specification	price
1	IPC-HDW2230EP-S-S2		<p>2MP Dome Network Camera 25/30fps@1080P 2.8mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>      starlight  </div>	37,500,000
2	IPC-HFW2230SP-S-S2		<p>2MP Bullet Network Camera 25/30fps@1080P 2.8mm or 3.6mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>      starlight  </div>	37,500,000
3	IPC-HDW1230R1-S5		<p>2MP Dome Network Camera 25/30fps@1080P 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic</p> <div>       </div>	26,500,000
4	 IPC-HDW1230T1-AS-S2		<p>2MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>       </div>	29,000,000

1  IPC-HFW2241S-S



2MP Bullet **Network Camera** 25/30fps@1080P **built in Mic**
2.8mm or 3.6mm, Max. IR LEDs Length **30m**, Smart IR
Max. 256 G micro SD card
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB



starlight



2  IPC-HDW2230TP-AS-S2



2MP Dome **Network Camera** 25/30fps@1080P **built in Mic**
2.8mm, Max. IR LEDs Length **30m**, Smart IR
Max. 256 G micro SD card
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



3  IPC-HFW1239TL1-A-IL



2MP Bullet **Network Camera** 25/30fps@1080P **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal + plastic



4  DH-IPC-HDW1239V-A-IL



2MP dome **Network Camera** 25/30fps@1080P **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal + plastic



1  IPC-HFW2239S-SA-LED-S2



2MP Bullet **Network Camera** 25/30fps@2MP
3.6mm or 2.8mm - Smart LED **warm light LED** Distance **20m**
Max. 256 G micro SD card WDR 120DB
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



Call

2 IPC-HFW2231TP-ZS-S2



2MP Bullet **Motorized** Bullet Network Camera 30fps@2MP
2.7-13.5mm, Max. IR LEDs Length **60m** Smart IR
Max. 256 G micro SD card / IK10
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



71,000,000

3  IPC-HFW2231T-AS-S2



2MP Bullet **Network Camera** 30fps@2MP **built in Mic**
3.6mm, Max. IR LEDs Length **80m**, Smart IR
Max. 256 G micro SD card WDR 120DB
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



44,500,000

4 ANPR camera Noname



ANPR camera , 120 km/h in day - 100km/h in night
2MP Bullet **Network Camera** 30fps@2MP
12 mm fix lenz, Max. LEDs Length **50m**
Non poe support
Ip67 - H.265+

100,000,000

1 HDBW2231F-AS-S2



2MP Dome **Network Camera** 25/30fps@1080P

2.2mm, Max. IR LEDs Length **30m**, Smart IR

Alarm: 1 in, 1 out; audio: 1 in, 1 out;

51,000,000

built-in Mic; supports max. 256 GB Micro SD card.

Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)






























2

3

4

NO	Model	Appearance	Specification	price
1	IPC-HDW1431T1-S4		<p>4MP Dome Network Camera 25/30fps@4MP 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p>      	45,000,000
2	IPC-HFW1431S1P-S4		<p>4MP Bullet Network Camera 25/30fps@4MP 3.6mm or 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p>      	45,000,000
3	IPC-HFW1439S1-LED-S4		<p>4MP Bullet Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic</p>       	49,000,000
4	IPC-HDW1439T1-LED-S4		<p>4MP Dome Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic</p>       	49,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2441S-S		4MP Bullet Network Camera 25/30fps@4MP built in Mic 2.8mm or 3.6mm, Max. IR LEDs Length 30m , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	55,000,000
2	 IPC-HDBW2441E-S		4MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 30m , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight 	55,000,000
3	 HFW1439TL1-A-IL		4MP Bullet Network Camera 25/30fps@4mp built in Mic 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 30m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic       Full-color	51,000,000
4	 HDW1439V-A-IL		4MP dome Network Camera 25/30fps@4mp built in Mic 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 30m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic       Full-color	51,000,000

1 IPC-HFW2441T-ZS



4MP Bullet **Motorized** Bullet Network Camera 30fps@4MP
2.7-13.5mm, Max. IR LEDs Length **60m** Smart IR
Max. 256 G micro SD card / IK10
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
4Mp Smart Codec WDR Starlight IVS IP67 **starlight** Data Sheet

107,500,000

2  IPC-HDW2441T-S



4MP Dome **Network Camera** 25/30fps@1080P **built in Mic**
2.8mm, Max. IR LEDs Length **30m**, Smart IR
Max. 256 G micro SD card
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
4Mp H.265+ WDR Starlight IVS IP67 **starlight** Data Sheet

55,000,000

3  IPC-HDBW3441E-S-S2



4MP Dome **Network Camera** 25/30fps@1080P **built in Mic**
2.8mm, Max. IR LEDs Length **50m**, Smart IR
Max. 256 G micro SD card H.265+ - PoE
Ip67 - Ik10 - SMD 4.0 -AI(Tripwire|Intrusion)
Alarm: 1 in, 1 out ; audio: 1 in, 1 out
4Mp Quick Pick AI SSA Smart Codec Perimeter Protection IPS/IK10 Data Sheet

101,500,000

4  IPC-HDW1431T1-AS-S4



4MP Dome **Network Camera** 25/30fps@4MP **built in Mic**
2.8mm, Max. IR LEDs Length **30m**, Smart IR
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
4Mp Smart Codec WDR Motion Detection IP67 Data Sheet

49,000,000

1  IPC-HFW2441T-AS



4MP Bullet **Network Camera** 15fps@4MP **built in Mic**
3.6mm, Max. IR LEDs Length **80m**, Smart IR
Max. 256 G micro SD card WDR 120DB
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)




80,500,000

2  DH-IPC-HFW3449E-AS-LED



4MP Bullet **Network Camera** 25/30fps@4MP
3.6mm - Smart LED **warm light & IR LED** Illumination Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB



109,000,000

3  IPC-HFW2449S-S-IL



4MP Bullet **Network Camera** 25/30fps@4MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB



59,000,000

4  IPC-HDW2449T-S-IL



4MP Dome **Network Camera** 25/30fps@4MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB

59,000,000

Page : 10

NO

Model

Appearance

Specification

price

1  IPC-HFW2449T-AS-IL



4MP Bullet **Network Camera** 25/30fps@4MP **built in Mic**
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **60m**
Max. 256 G micro SD card
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion) **90,000,000**
Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max
WDR 120DB - IK10




2

3

4

NO	Model	Appearance	Specification	price
1	 HFW1639TC-IL-A		<p>6MP Bullet Network Camera 25/30fps@6mp built in Mic 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 30m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal</p>       	55,000,000
2	 HDW1639T-IL-A		<p>6MP dome Network Camera 25/30fps@4mp built in Mic 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 30m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal</p>        	55,000,000
3	 IPC-HFW2849S-S-IL		<p>8MP Bullet Network Camera 25/30fps@8MP 3.6mm or 2.8mm - Smart LED warm light & IR LED Distance 20m Max. 256 G micro SD card built in Mic Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) WDR 120DB</p>        	101,000,000
4	 IPC-HDW2849T-S-IL		<p>8MP Dome Network Camera 25/30fps@8MP 3.6mm or 2.8mm - Smart LED warm light & IR LED Distance 20m Max. 256 G micro SD card built in Mic Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) WDR 120DB</p>        	101,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2841T-AS		<p>8MP Bullet Network Camera 15fps@8MP-4K built in Mic 3.6mm, Max. IR LEDs Length 80m, Smart IR Max. 256 G micro SD card WDR 120DB Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>       starlight  </div>	113,500,000
2	 IPC-HFW2841T-ZS		<p>8MP Bullet Motorized Bullet Network Camera 30fps@8MP 2.7-13.5mm, Max. IR LEDs Length 60m Smart IR built in Mic Max. 128 G micro SD card / IK10 Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>       starlight </div>	156,000,000
3	 IPC-HFW2841S-S		<p>8MP Bullet Network Camera 15fps@8MP-4K built in Mic 3.6mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>       starlight  </div>	92,000,000
4	IPC-HDW2831EP-S-S2		<p>8MP Dome Network Camera 15fps@8MP-4K 3.6mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <div>       starlight  </div>	92,000,000

1  IPC-PFW3849S-A180-AS-PV



2x4MP TiOC Duo Splicing Fixed-focal Bullet WizSense Camera max. IR illumination and warm light distance is 20 m.

Alarm: 1 in, 1 out; audio: 1 in, 1 out;
supports max. 256 G Micro SD

Outputs **180° wide** angle splicing image.

built in dual **Mic**; built in **speaker**, support two-way talk.

Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)

207,000,000



2  IPC-HFW2849T-AS-IL



8MP Bullet Network Camera 25/30fps@8MP built in Mic

3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **60m**

Max. 256 G micro SD card





Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
























130,000,000

Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max

WDR 120DB - IK10



NO	Model	Appearance	Specification	price
1	SD6AL245XA-HNR		<p>2MP 45x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel STARVIS CMOS Powerful 45x optical zoom Max 50/60 fps@1080P Starlight technology Auto-tracking & face detection PoE+ , IP66 , SMD PLUS & Perimeter protection Lazer distance up to 550m 2 IR Light & 1 Laser</p> <div>         </div>	Call
2	SD5A232XA-HNR		<p>2MP 32x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel STARVIS CMOS Powerful 32x optical zoom Max 50/60 fps@1080P Starlight technology Auto-tracking & face detection PoE+ , IP67 , IK10 , SMD PLUS & Perimeter protection Lazer distance up to 150m</p> <div>        </div>	Call
3	SD5A445GB-HNR		<p>4MP 45x Starlight IR WizSense Network PTZ Camera 1/2.8" 4 Megapixel STARVIS CMOS Powerful 45x optical zoom Max 50/60 fps@4MP Starlight technology Auto-tracking 3.0 Face detection. SMD 4.0. PoE+ , IP67, IK10 , & Perimeter protection Lazer distance up to 150m</p> <div>        </div>	Call

NO	Model	Appearance	Specification	price
1	SD49225XA-HNR-S		<p>2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel CMOS Powerful 25x optical zoom Starlight technology Perimeter protection PoE+ , IP66 , SMD PLUS IR distance up to 100m</p> <div>        </div>	Call
2	SD49825GB-HNR		<p>8MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 8Megapixel STARVIS™ CMOS. Powerful 25x optical zoom Starlight technology Perimeter protection PoE+ , IP66 , SMD PLUS IR distance up to 100m</p> <div>        </div>	Call
3	SDT4E425-4F-GB-A-PV1		<p>2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel CMOS Auto tracking 3.0 Smart tracking Powerful 25x optical zoom Panorama: 4 MP , Detail: 4 MP Pattern; Preset; Scan; Tour SMD4.0 Perimeter protection 120 dB WDR PoE+ , IP66 , SMD PLUS IR distance up to 100m Smart dual light +.</p> <div>       </div>	330,000,000

Page : 16

NO

Model

Appearance

Specification

price

1 SD49225DB-HNY



2MP 25x Starlight IR **WizSense Network PTZ Camera**
1/2.8" 2Megapixel CMOS
Powerful **25x optical zoom**
Starlight technology
Perimeter protection
PoE+ , IP66 , SMD PLUS
IR distance up to 100m

246,500,000



2

3

1 NVR616H-128-XI



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs **AcuPick** with up to 64 ch
 Max **1280/1280/1024** Mbps incoming bandwidth
Up to 12MP resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
16 SATA III Port, up to **10TB** capacity for each HDD

Call



2 NVR616DR-128-4ks2



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
Up to 12MP resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
16 SATA III Port, up to **10TB** capacity for each HDD

Call



3 NVR616-128-4KS2



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
Up to 12MP resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
16 SATA III Port, up to **10TB** capacity for each HDD

Call



1 NVR608-128-4KS2



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
 8 **SATA** III Port, up to **10TB** capacity for each HDD

Call



2 NVR608-64-4kS2



H.265+ codec decoding **HDMI 4K**
 Max **64 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
 8 **SATA** III Port, up to **10TB** capacity for each HDD

Call



3 NVR608-32-4KS2



H.265+ codec decoding **HDMI 4K**
 Max **32 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
 8 **SATA** III Port, up to **10TB** capacity for each HDD

Call



1 NVR5864-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **64 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

557,000,000

8 SATA III Port, up to **16TB** capacity for each HDD



2 NVR5464-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **64 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

438,000,000

4 SATA III Port, up to **16TB** capacity for each HDD



3 NVR5832-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **32 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback


Up to 16ch@8MP/16ch@1080P decoding

440,000,000

8 SATA III Port, up to **16TB** capacity for each HDD



NO	Model	Appearance	Specification	price
1	NVR5432-EI		<p>32Mp H.265+ codec decoding - AI by recorder HDMI 4K Max 32 channel IP camera inputs Max 384 Mbps incoming bandwidth Up to 32MP resolution preview&playback Up to 16ch@8MP/16ch@1080P decoding 4 SATA III Port, up to 16TB capacity for each HDD</p> <div>            </div>	304,000,000
2	NVR5232-EI		<p>32Mp H.265+ codec decoding - AI by recorder HDMI 4K Max 32 channel IP camera inputs Max 384 Mbps incoming bandwidth Up to 32MP resolution preview&playback Up to 16ch@8MP/16ch@1080P decoding 2 SATA III Port, up to 16TB capacity for each HDD</p> <div>            </div>	284,000,000

NO	Model	Appearance	Specification	price
1	NVR4232-EI		<p>H.265+/H.264+ codec decoding HDMI 4K Max 32 channel IP camera inputs Max 256 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 2ch@16MP/16ch@1080P decoding 2 SATA III Port, up to 16TB capacity for each HDD</p> <div>       </div>	175,000,000
2	NVR4432-EI		<p>H.265+/H.264+ codec decoding HDMI 4K Max 32 channel IP camera inputs Max 256 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 2ch@16MP/16ch@1080P decoding 4 SATA III Port, up to 16TB capacity for each HDD</p> <div>       </div>	246,000,000
3	NVR4232-4KS3		<p>H.265+/H.264+ codec decoding HDMI 4K Max 32 channel IP camera inputs Max 200 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/16ch@1080P decoding 2 SATA III Port, up to 20TB capacity for each HDD</p> <div>       </div>	165,000,000

1 DH-NVR5216-EI



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **16 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **32MP** resolution preview&playback
 Up to 2ch@32MP/8ch@8MP decoding
 2 SATA III Port, up to 20TB capacity for each HDD

233,000,000



2 DH-NVR4216-EI



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **16 channel** IP camera inputs
 Max **256 Mbps** incoming bandwidth
 Up to **16MP** resolution preview&playback
 Up to 2ch@16MP/8ch@4MP decoding
 2 SATA III Port, up to 16TB capacity for each HDD

120,000,000
















3 DH-NVR4216HS-4KS3



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **16 channel** IP camera inputs
 Max **160 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 2ch@8MP/8ch@1080P decoding
 2 SATA III Port, up to 20TB capacity for each HDD

116,500,000



NO	Model	Appearance	Specification	price
1	DH-NVR4116HS-2N-4KS3		<p>H.265+/H.264+ codec decoding HDMI 4K</p> <p>Max 16 channel IP camera inputs</p> <p>Max 160 Mbps incoming bandwidth</p> <p>Up to 12MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 20TB capacity for each HDD</p> <p>2 PORT NETWORK 10/100</p> <div>       </div>	91,000,000
2	DH-NVR4116-4KS3		<p>H.265+/H.264+ codec decoding HDMI 4K</p> <p>Max 16 channel IP camera inputs</p> <p>Max 160 Mbps incoming bandwidth</p> <p>Up to 12MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 20TB capacity for each HDD</p> <div>      </div>	91,000,000
3				

1 DH-NVR2216-I2



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **16 channel** IP camera inputs ONVIF; RTSP
 Max **144Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 1ch@12MP/8ch@1080P decoding
 2 SATA III Port, up to 10TB capacity for each HDD

89,000,000



2 DH-NVR4108-EI



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **8 channel** IP camera inputs
 Max **80 Mbps** incoming bandwidth
 Up to **16MP** resolution preview&playback
 Up to 2ch@16MP/8ch@4MP decoding
 1 SATA III Port, up to 16TB capacity for each HDD

83,500,000























3 DH-NVR2108HS-I



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **8 channel** IP camera inputs ONVIF; RTSP
 Max **80Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 1ch@12MP/8ch@1080P decoding
 1 SATA III Port, up to 10TB capacity for each HDD

Call



NO	Model	Appearance	Specification	price
1	DH-NVR1108HS-S3/H		<p>H.265+/H.264+ codec decoding</p> <p>Max 8 channel IP camera inputs ONVIF; RTSP</p> <p>Max 80Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 2ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 10TB</p> <div>      </div>	48,500,000
2	NVR2108HS-2N-4KS3		<p>H.265+/H.264+ codec decoding HDMI 4K</p> <p>Max 8 channel IP camera inputs</p> <p>Max 80 Mbps incoming bandwidth</p> <p>Up to 12MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 20TB capacity for each HDD</p> <p>2 PORT NETWORK 10/100</p> <div>       </div>	74,000,000
3	DH-NVR4108HS-4KS3		<p>H.265+/H.264+ codec decoding HDMI 4K</p> <p>Max 8 channel IP camera inputs ONVIF; RTSP</p> <p>Max 80Mbps incoming bandwidth</p> <p>Up to 12MP resolution preview&playback</p> <p>Up to 2ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 20TB capacity for each HDD</p> <div>       </div>	79,500,000

NO	Model	Appearance	Specification	price
1	NVR2104HS-P-I		<p>H.265+/H.264+ codec decoding Max 4 channel poe IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 8TB resolution of HDMI is 4K</p> <div>         </div>	74,000,000
2	DH-NVR1104HS-S3/H		<p>H.265+/H.264+ codec decoding Max 4 channel IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 10TB</p> <div>       </div>	43,000,000
3	DH-NVR4104HS-4KS2/L		<p>H.265+/H.264+ codec decoding HDMI 4K Max 4 channel IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 16TB capacity for each HDD</p> <div>       </div>	Call