































Page : 1

NO	Model	Appearance	Specification	price
1	UAC-B112-F28(40)		<p>2MP Bullet Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lengh 20m - Smart IR Case plastic - IP67</p> <div> <div>2MP</div> <div>IP 67</div> <div>HLC</div> <div>PDF Data Sheet</div> </div>	11,500,000
2	UAC-T112-F28(40)		<p>2MP Dome Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lengh 20m - Smart IR Case plastic - IP67</p> <div> <div>2MP</div> <div>IP 67</div> <div>HLC</div> <div>PDF Data Sheet</div> </div>	11,500,000
3	UAC-B112-F28(40)-W		<p>2MP ColorHunter Bullet Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX white light led 20m - ColourHunter Case plastic - IP67</p> <div> <div>2MP</div> <div>IP 67</div> <div>HLC</div> <div>ColorHunter</div> <div>PDF Data Sheet</div> </div>	18,500,000
4	UAC-T112-F28(40)-W		<p>2MP ColorHunter Dome Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX white light led 20m - ColourHunter Case plastic - IP67</p> <div> <div>2MP</div> <div>IP 67</div> <div>HLC</div> <div>ColorHunter</div> <div>PDF Data Sheet</div> </div>	18,500,000

Page : 2

NO	Model	Appearance	Specification	price
1	 UAC-B112-F28(40)-W		<p>2MP ColorHunter Bullet Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz - built in mic MAX white light led 40m - ColourHunter Case metal - IP67</p> <div>     </div>	27,500,000
2	 UAC-T112-F28(40)-W		<p>2MP ColorHunter Dome Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz - built in mic MAX white light led 40m - ColourHunter Case metal & plastic - IP67</p> <div>     </div>	27,500,000
3				
4				

NO	Model	Appearance	Specification	price
1	UAC-B115-F28(40)		<p>5MP Bullet Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lengh 20m - Smart IR Case plastic - IP67</p> <div>     </div>	20,000,000
2	UAC-T115-F28(40)		<p>5MP Dome Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lengh 20m - Smart IR Case plastic - IP67</p> <div>     </div>	20,000,000
3	UAC-B115-F28(40)-W		<p>5MP Bullet Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR LED 20m - ColourHunter Case plastic - IP67</p> <div>      </div>	24,000,000
4	UAC-T115-F28(40)-W		<p>5MP Dome Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR LED 20m - ColourHunter Case plastic - IP67</p> <div>      </div>	24,000,000

1

XVR301-04G3



4CH **5Mp-Lite/1080P** non Real time recorder
5MN@30fps-4MN/1080p@30fps-1080N@30fps
H265+ video compression - 4ch playback
(IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 6mp
1 Audio input - 1 Audio output - PTZ Support
1 sata port up to 8 tb - 2*USB 2.0
HDMI-VGA-LAN Interface - p2p support

41,500,000



2

XVR301-08G3



8CH **5Mp-Lite/1080P** non Real time recorder
5Mp/Lite@12fps - 4Mp/Lite@15fps - 1080p@30fps
H265+ video compression - 8ch playback
(IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 6mp
1 Audio input - 1 Audio output - PTZ Support
1 sata port up to 8 tb - 2*USB 2.0
HDMI-VGA-LAN Interface - p2p support

51,500,000



3

XVR301-16G3



16CH **5Mp-Lite/1080P** non Real time recorder
5Mp/Lite@12fps - 4Mp/Lite@15fps - 1080p@30fps
H265+ video compression - 4ch playback
(IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp
1 Audio input - 1 Audio output - PTZ Support
1 sata port up to 8 tb - 2*USB 2.0
HDMI-VGA-LAN Interface - p2p support

77,500,000



NO	Model	Appearance	Specification	price
1	IPC2122LB-SF28(40)-A		<p>2MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case carbon</p> <div> <div>2MP</div> <div>IP 67</div> <div>POE</div> <div>Ultra H.265</div> <div>Smart IR</div> <div>MLC</div> <div>Smart Search</div> <div>Data Sheet PDF</div> </div>	22,500,000
2	IPC322LB-SF28(40)-A		<p>2MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case Metal + Plastic IK10 vandal resistant</p> <div> <div>2MP</div> <div>IP 67</div> <div>POE</div> <div>Ultra H.265</div> <div>Smart IR</div> <div>MLC</div> <div>Smart Search</div> <div>IK 10</div> <div>Data Sheet PDF</div> </div>	22,500,000
3	 IPC2122LE-ADF28(40)KMC-WL		<p>2MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE - Built-in Mic & Speaker case Metal - 128 G Micro SD</p> <div> <div>2MP</div> <div>Edge Storage</div> <div>IP 67</div> <div>POE</div> <div>Ultra H.265</div> <div>Intrusion Detection</div> <div>WDR</div> <div>Built-in Mic</div> <div>Colorfinder</div> <div>Speaker</div> <div>Corridor Mode</div> <div>Data Sheet PDF</div> </div>	51,000,000
4	 IPC2122LB-AF28(40)K-WL		<p>2MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE case Carbon</p> <div> <div>2MP</div> <div>Edge Storage</div> <div>IP 67</div> <div>POE</div> <div>Ultra H.265</div> <div>Intrusion Detection</div> <div>WDR</div> <div>Built-in Mic</div> <div>Colorfinder</div> <div>Speaker</div> <div>Corridor Mode</div> <div>Data Sheet PDF</div> </div>	38,000,000

1



IPC3612LB-ADF28(40)K-G



2MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m**
Ip67 - H.265+ - PoE - Smart IR **Built-in Mic**
case Metal + Plastic - 256 G Micro SD



call

2



IPC3612LB-AF28K-WL



2MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m** Warm Light, up to 30m
Ip67 - H.265+ - PoE - Smart IR **Built-in Mic**
case Metal + Plastic - 256 G Micro SD



38,000,000

3

4

1 IPC2124LB-SF28(40)-A



4MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m**
Ip67 - H.265+ - PoE - Smart IR
case carbon - 128 G Micro SD

39,500,000



2 IPC324LB-SF28(40)K-G



4MP Dome **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m**
Ip67 - H.265+ - PoE - Smart IR
case Metal + Plastic - 128 G Micro SD

39,500,000



3 IPC2124LE-ADF28(40)KM-G



4MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **50m** , 120dB true WDR
Ip67 - H.265+ - PoE - Smart IR **-Built-in Mic**
case Metal - 256 G Micro SD

53,000,000



4 IPC324LE-DSF28(40)K



4MP Dome **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m** , 120dB true WDR
Ip67 - H.265+ - PoE - Smart IR
case Metal - 256 G Micro SD

53,000,000



1 IPC2124LE-ADF28(40)KMC-WL



4MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, **White Light**, up to 30m , 120dB true WDR
Ip67 - H.265+ - PoE - **Built-in Mic & Speaker**
case Metal - 128 G Micro SD



2 IPC2124LE-ADF28(40)KMC-DL



4MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, **White Light**, up to 30m , 120dB true WDR
Ip67 - H.265+ - PoE - **Built-in Mic & Speaker**
case Metal - 128 G Micro SD



3 IPC2124LB-AF28(40)K-DL



4MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, **White Light & IR**, up to 30m
Ip67 - H.265+ - PoE - **Built-in Mic**
case Metal - 128 G Micro SD



1 IPC2125LE-ADF28(40)KM-G



5MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **50m** , 120dB true WDR
Ip67 - H.265+ - PoE - Smart IR -**Built-in Mic**
case Metal - 256 G Micro SD



2 IPC2125LR3-PF40M-D



5MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m** , 120dB true WDR
Ip67 - H.265+ - PoE - Smart IR
case Metal



3 IPC2128LE-ADF28(40)KM-G



8MP Bullet **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **50m** , 120dB true WDR
H.265+ - PoE - Smart IR -**Built-in Mic**
case Metal - 256 G Micro SD - - IP67








4 IPC328LE-ADF28(40)K-G



8MP DOME **Network Camera** 25/30fps , CMOS sensor
2.8mm or 4mm, Max IR LED Length **30m** , 120dB true WDR
H.265+ - PoE - Smart IR -**Built-in Mic**
case Metal - 256 G Micro SD- Ik10 - IP67



NO	Model	Appearance	Specification	price
1	IPC2324SB-DZK-I0		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor Max IR LED Length 50m , 120dB true WDR IK10 vandal Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - Motorized 2.8~12 mm 256 G Micro SD</p> <div> 4MP Edge Storage IP 67 POE Ultra H.265 Intrusion Detection Cross Line detection WDR Built-in Mic Data Sheet </div>	131,500,000
2	IPC2324LB-ADZK-H		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor Max IR LED Length 50m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - Motorized 2.8~12 mm 256 G Micro SD</p> <div> 4MP Edge Storage IP 67 POE Ultra H.265 Intrusion Detection Cross Line detection WDR Built-in Mic Data Sheet </div>	94,500,000
3	IPC2314SB-ADF40(60)KM-I0		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 80m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in 2 Mic case Metal - Big Case - 256 G Micro SD</p> <div> 4MP Edge Storage IP 67 POE Ultra H.265 80 IR distance Intrusion Detection Cross Line detection WDR Built-in Mic Data Sheet </div>	Call
4	 IPC3614LE-ADF28(40)KC-WL		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Warm Light, up to 30m Ip67 - H.265+ - PoE - Smart IR Built-in Mic & Speaker case Metal + Plastic - 512 G Micro SD 120dB WDR</p> <div> 4MP Color Monitor WDR Built-in Mic Speaker Edge Storage Camouflage Mode IP 67 </div>	68,500,000

1 IPC6424SR-X25-VF



4MP 25x Lighthunter Network PTZ Dome Camera
25X Optical Zoom- Smart IR, up to **100m** IR
Ip67- IK10 - H.265+ - PoE - Smart IR
120dB true WDR , Micro SD up to 256 GB

369,000,000



2 IPC6612SR-X25-VG






2MP 25x Lighthunter Network PTZ Dome Camera
25X Optical Zoom- Smart IR, up to **150m** IR
Ip66 - H.265+ - PoE - Smart IR
120dB true WDR , Micro SD up to 256 GB

312,000,000




3

4

NO	Model	Appearance	Specification	price
1	NVR301-04S3		<p>H.265+/H.264+ codec decoding</p> <p>Max 4 channel IP camera inputs</p> <p>Max 64 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/4ch@1080P decoding</p> <p>1 SATA III Port, up to 8TB</p> <p>HDMI 4K</p>	50,500,000
2	NVR301-08S3		<p>H.265+/H.264+ codec decoding</p> <p>Max 8 channel IP camera inputs</p> <p>Max 64 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 10TB</p>	60,500,000
3	NVR301-16S3		<p>H.265+/H.264+ codec decoding</p> <p>Max 16 channel IP camera inputs</p> <p>Max 64 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>1 SATA III Port, up to 10TB</p>	75,500,000



NO	Model	Appearance	Specification	price
1	NVR301-04LS3-P4		<p>H.265+/H.264+ codec decoding</p> <p>Max 4 channel IP camera inputs</p> <p>4ch poe support Max 30W for single port - Max 54W in total</p> <p>Max 64 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/4ch@1080P decoding</p> <p>1 SATA III Port, up to 6TB</p> <p>HDMI 4K</p>	58,500,000
2	NVR301-08LS3-P8		<p>H.265+/H.264+ codec decoding</p> <p>Max 8 channel IP camera inputs</p> <p>8ch poe support Max 30W for single port - Max 100W in total</p> <p>Max 64 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/4ch@1080P decoding</p> <p>1 SATA III Port, up to 10TB</p> <p>HDMI 4K</p>	93,500,000
3	NVR302-16S2		<p>H.265+/H.264+ codec decoding</p> <p>Max 16 channel IP camera inputs</p> <p>Max 160 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>2 SATA port, up to 8TB for each HDD</p> <p>HDMI 4K</p>	116,500,000

NO	Model	Appearance	Specification	price
1	NVR302-32S		<p>H.265+/H.264+ codec decoding</p> <p>Max 32 channel IP camera inputs</p> <p>Max 160 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>2 SATA port, up to 8TB for each HDD</p> <p>HDMI 4K</p>	150,000,000
				
2	NVR304-32S		<p>H.265+/H.264+ codec decoding</p> <p>Max 32 channel IP camera inputs</p> <p>Max 160 Mbps incoming bandwidth</p> <p>Up to 8MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>4 SATA port, up to 8TB for each HDD</p> <p>HDMI 4K</p>	198,000,000
				
3	NVR304-32X		<p>H.265+/H.264+ codec decoding</p> <p>Max 32 channel IP camera inputs</p> <p>Max 384 Mbps incoming bandwidth</p> <p>Up to 12MP resolution preview&playback</p> <p>Up to 1ch@8MP/8ch@1080P decoding</p> <p>4 SATA port, up to 8TB for each HDD</p> <p>2 ch HDMI, 1 ch VGA. HDMI1 and HDMI2 up to 4K</p>	400,000,000

Page : 15

NO

Model

Appearance

Specification

price

1

NVR508-64B



H.265+/H.264+ codec decoding
 Max **64 channel** IP camera inputs
 Max **320 Mbps** incoming bandwidth
 Up to **16MP** resolution preview&playback
 Up to 1ch@8MP/8ch@1080P decoding
8 SATA port, up to 16TB for each HDD
 HDMI 4K

396,000,000

2

3