

NO	Model	Appearance	Specification	price
1	HAC-B1A21P		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz MAX IR lengh <b>20m</b> - Smart IR Case Fiber Glass - IP67</p> <div>        </div>	12,000,000
2	HAC-T1A21P		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 3.6MM Fix lenz MAX IR lengh <b>20m</b> - Smart IR Case Plastic</p> <div>        </div>	12,000,000
3	HAC-B2A21P		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 3.6mm &amp; 2.8mm Fix lenz MAX IR lengh <b>20m</b> - Smart IR Case Metal (Aluminum) - IP67</p> <div>        </div>	14,000,000
4	HAC-T2A21P		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm &amp; 3.6mm Fix lenz MAX IR lengh <b>20m</b> - Smart IR Case Metal (Aluminum) - IP67</p> <div>        </div>	14,000,000

NO	Model	Appearance	Specification	price
1	HAC-B1A21-U		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 3.6MM Fix lenz MAX IR lengh <b>25m</b> - Smart IR Case Plastic</p> 	12,000,000
2	HAC-T1A21-U		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 3.6MM Fix lenz MAX IR lengh <b>25m</b> - Smart IR Case Plastic</p> 	12,000,000
3	HAC-B2A21-U		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 3.6MM Fix lenz MAX IR lengh <b>25m</b> - Smart IR Case metal</p> 	14,000,000
4	HAC-T2A21-U		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 3.6MM Fix lenz MAX IR lengh <b>25m</b> - Smart IR Case metal</p> 	14,000,000

1 HAC-HFW1200DP



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz  
MAX IR lengh **80m** - Smart IR  
Case Metal (Aluminum) - IP67




20,000,000

2 HAC-HFW1200TLP



2MP Resolution MAX 30fps@2MP  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz  
MAX IR lengh **40M** - Smart IR  
Case Metal & Fiber - IP67



19,000,000

3 HAC-HFW1200TP



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
2.8mm or 3.6MM Fix lenz  
MAX IR lengh **30m** Smart IR  
Case Metal (Aluminum) - IP67



17,300,000

4 HAC-HFW1200THP-I8



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz  
MAX IR lengh **80m** - Smart IR  
Case Fiber & Metal (Aluminum) - IP67



Call

1  HAC-HDW1200TRQP\_A



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
2.8mm Fix lenz - **built in Mic**  
MAX IR lenth **25m** Smart IR  
Case Fiber Glass & Metal (Aluminum) - IP67



18,700,000

2  HAC-HFW1200TP-A



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz - **built in Mic**  
MAX IR lenth **30m** Smart IR  
Case Metal (Aluminum) - IP67



18,000,000

3  HAC-HDW1200EMP\_A



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
2.8mm Fix lenz - **built in Mic**  
MAX IR lenth **50m** Smart IR  
Case Metal (Aluminum) - IP67



Call

4  HAC-HDW1200TLMQP-A



2MP Resolution MAX 30fps@1080P  
CVI-AHD-TVI-CVBS switchable  
2.8mm Fix lenz - **built in Mic**  
MAX IR lenth **30m** Smart IR  
Case Metal (Aluminum) - IP67



21,000,000

NO	Model	Appearance	Specification	price
1	HAC-HDW1200TRQP		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm Fix lenz MAX IR lenth <b>25m</b> Smart IR Case plastic</p> <p>       </p>	16,000,000
2	HAC-D1A21P		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz MAX IR lenth <b>20m</b> - Smart IR Case Plastic</p> <p>      </p>	14,000,000
3	HDW1200EP-S5		<p>2MP Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz MAX IR lenth <b>30m</b> - Smart IR Case metal</p> <p>      </p>	16,400,000
4	HAC-HFW1200CP		<p>2MP Resolution MAX 30fps@2MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lenth <b>30m</b> - Smart IR Case Metal &amp; carbon - IP67</p> <p>       </p>	13,300,000

NO	Model	Appearance	Specification	price
1	HAC-HDW1209TLQP-LED		2MP Resolution MAX 30fps@1080P <b>Full Color</b> CVI-AHD-TVI-CVBS switchable 2.8mm Fix lenz MAX Illumination Distance <b>20m</b> Smart LED Case Fiber Glass & Metal - Ip67 	17,500,000
2	 HAC-HDW1209TLQP-A-LED		2MP Resolution MAX 30fps@1080P <b>Full Color</b> CVI-AHD-TVI-CVBS switchable 2.8mm Fix lenz <b>built in Mic</b> MAX Illumination Distance <b>20m</b> Smart LED Case Fiber Glass & Metal - Ip67 	20,700,000
3	HAC-HFW1209CP-LED		2MP Resolution MAX 30fps@1080P <b>Full Color</b> CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz MAX Illumination Distance <b>20m</b> Smart LED Case Fiber Glass & Metal - Ip67 	17,500,000
4	 HAC-HFW1209TLMP-A-LED		2MP Resolution MAX 30fps@1080P <b>Full Color</b> CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz <b>built in Mic</b> MAX Illumination Distance <b>40m</b> Smart LED Case Fiber Glass & Metal - Ip67 	23,300,000



1  HAC-HFW1200CLP-IL-A



**2MP Resolution MAX 30fps@5mp Full color**  
CVI-AHD-TVI-CVBS switchable  
2.8 OR 3.6 mm Fix lenz **built in Mic**  
Smart Dual Light WL Mode; IR Mode 20 m  
Case carbon IP67



18,000,000

2  HAC-HDW1200CLQP-IL-A



**2MP Resolution MAX 30fps@5mp Full color**  
CVI-AHD-TVI-CVBS switchable  
2.8 OR 3.6 mm Fix lenz **built in Mic**  
Smart Dual Light WL Mode; IR Mode 20 m  
Case carbon IP67



18,000,000

3  HAC-HFW1209CMP-A-LED



**2MP Resolution MAX 30fps@1080P Full Color**  
CVI-AHD-TVI-CVBS switchable  
3.6mm or 2.8MM Fix lenz **built in Mic**  
MAX Illumination Distance **20m** Smart LED  
**Case METAL**



22,500,000

1 HAC-B1A51P



5MP Resolution MAX 25fps@5mp  
CVI-AHD-TVI-CVBS switchable  
3.6mm or 2.8MM Fix lenz  
MAX IR lengh **20m** - Smart IR  
Case Fiber Glass - IP67



20,500,000

2 HAC-T1A51P



5MP Resolution MAX 25fps@5mp  
CVI-AHD-TVI-CVBS switchable  
3.6mm or 2.8MM Fix lenz  
MAX IR lengh **20m** - Smart IR  
Case Plastic



20,500,000

3 HAC-B2A51P



5MP Resolution MAX 25fps@5mp  
CVI-AHD-TVI-CVBS switchable  
3.6mm or 2.8MM Fix lenz  
MAX IR lengh **20m** - Smart IR  
Case **Metal** - IP67



23,000,000

4 HAC-T2A51P



5MP Resolution MAX 30fps@4mp  
CVI-AHD-TVI-CVBS switchable  
3.6mm or 2.8MM Fix lenz  
MAX IR lengh **20m** - Smart IR  
Case **Metal** (Aluminum) - IP67



23,000,000



NO	Model	Appearance	Specification	price
1 	HAC-HDW1500TRQP		5MP Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz MAX IR lengh <b>25m</b> - Smart IR Case plastic       	22,000,000
2 	HAC-HDW1500TRQP-A		5MP Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 3.6mm or 2.8MM Fix lenz <b>built in Mic</b> MAX IR lengh <b>25m</b> - Smart IR Case plastic       	23,000,000
3 	HAC-HDW1500TLMQP_A		5MP Resolution MAX 5mp CVI-AHD-TVI-CVBS switchable 2.8mm Fix lenz - <b>built in Mic</b> MAX IR lengh <b>30m</b> Smart IR Case Metal (Aluminum) - IP67       	27,700,000
4	HAC-HFW1500CP		5MP Resolution MAX 30fps@5MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lengh <b>30m</b> - Smart IR Case Metal & carbon - IP67       	22,000,000

NO	Model	Appearance	Specification	price
1	HAC-HFW1500DP		<p>5MP Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lengh <b>80m</b> - Smart IR Case Metal (Aluminum) - IP67</p> <div> <div>Lite Series</div> <div>5Mp</div> <div>80m IR</div> <div>IP67</div> <div>Temperature</div> <div>DC 12V</div> <div>starlight</div> <div>Data Sheet</div> </div>	33,800,000
2	HAC-HFW1500TLP		<p>5MP Resolution MAX 30fps@5MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lengh <b>40M</b> - Smart IR Case Metal &amp; Fiber - IP67</p> <div> <div>Lite Series</div> <div>5Mp</div> <div>40m IR</div> <div>IP67</div> <div>Temperature</div> <div>DC 12V</div> <div>Data Sheet</div> </div>	33,800,000
3	HAC-HFW1500TP		<p>5MP Resolution MAX 30fps@5MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lengh <b>30m</b> - Smart IR Case Metal (Aluminum) - IP67</p> <div> <div>Lite Series</div> <div>5Mp</div> <div>30m IR</div> <div>DC 12V</div> <div>IP67</div> <div>Temperature</div> <div>Data Sheet</div> </div>	27,700,000
4	HAC-HFW1500CMP		<p>5MP Resolution MAX 30fps@5MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lengh <b>30m</b> - Smart IR Case Metal - IP67</p> <div> <div>Lite Series</div> <div>5Mp</div> <div>30m IR</div> <div>DC 12V</div> <div>IP67</div> <div>Temperature</div> <div>Data Sheet</div> </div>	26,500,000

1  HAC-HFW1500CLP-IL-A



5MP Resolution MAX 30fps@5mp **Full color**  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz **built in Mic**  
Smart Dual Light WL Mode; IR Mode 20 m  
Case carbon IP67



23,800,000

2  HAC-HDW1500CLQP-IL-A



5MP Resolution MAX 30fps@5mp **Full color**  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz **built in Mic**  
Smart Dual Light WL Mode; IR Mode 20 m  
Case carbon IP67



23,800,000

3 HAC-HFW1509CP-LED



5MP Resolution MAX 30fps@5MP **Full Color**  
CVI-AHD-TVI-CVBS switchable  
3.6mm or 2.8MM Fix lenz  
MAX Illumination Distance **20m** Smart LED  
Case Fiber Glass & Metal - Ip67



28,500,000

4 **B4A41P**  
**Varifocal 2.8-12 mm**



4MP Resolution MAX 30fps@4MP  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz  
MAX IR lenth **40M** - Smart IR  
Case Metal & Fiber - IP67  
**Varifocal 2.8-12 mm**

28,000,000

NO	Model	Appearance	Specification	price
1	HAC-HFW1509TP-LED		5MP Resolution MAX 30fps@5mp <b>Full color</b> CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX Illumination Distance <b>20m</b> Smart LED Case Metal (Aluminum) - IP67 	32,500,000
2	HAC-HDW1509TLQP-LED		5MP Resolution MAX 30fps@5mp <b>Full color</b> CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX Illumination Distance <b>20m</b> Smart LED Case Fiber Glass & Metal - IP67 	30,800,000
3 	HAC-HFW1509TP-A-LED		5MP Resolution MAX 30fps@5mp <b>Full color</b> CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz <b>built in Mic</b> MAX Illumination Distance <b>20m</b> Smart LED Case Metal (Aluminum) - IP67 	36,500,000
4 	HAC-HDW1509TLQP-A-LED		5MP Resolution MAX 30fps@5mp <b>Full color</b> CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz <b>built in Mic</b> MAX Illumination Distance <b>20m</b> Smart LED Case Fiber Glass & Metal - IP67 	31,700,000

NO	Model	Appearance	Specification	price
1	 HAC-HFW1509TLMP-A-LED		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b> 120 dB true WDR            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>40m</b> Smart LED            Case Fiber Glass &amp; Metal - IP67</p> <div>          </div>	39,000,000
2	 HAC-HFW1509TLMP-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable <b>120 dB</b> true <b>WDR</b>, 3D NR            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m</b> Smart Dual Illuminators            Case Fiber Glass &amp; Metal - IP67</p> <div>          </div>	41,000,000
3	 HAC-HDW1509T-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b> 120 dB true WDR            CVI-AHD-TVI-CVBS switchable <b>120 dB</b> true <b>WDR</b>, 3D NR            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m</b> Smart Dual Illuminators            Case Fiber Glass &amp; Metal - Ip67</p> <div>          </div>	39,000,000
4	HAC-HFW1800TP		<p><b>8MP</b> Resolution MAX 20fps@8MP            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lenth <b>30m</b> - Smart IR            Case Metal (Aluminum) - IP67</p> <div>        </div>	35,500,000

1  HFW1809TLMP-A-LED



8MP Resolution MAX 15fps@4K **Full color 120 dB true WDR**  
CVI-AHD-TVI-CVBS switchable  
2.8 OR 3.6mm Fix lenz **built in Mic**  
MAX Illumination Distance **40m** Smart LED  
Case Fiber Glass & Metal - IP67



55,000,000

2  EBW3802



8MP Resolution MAX 15fps@4K  
CVI-AHD-TVI-CVBS switchable **120 dB true WDR**, 3D NR  
Panoramic fisheye lens **built in Mic**  
**15m** Smart Dual Illuminators  
Case Fiber Glass & Metal - Ip67 - IK10



67,000,000

3 SD49225DB-HC












2MP 25x Starlight IR PTZ HDCVI Camera  
1/2.8" 2Megapixel CMOS **IR distance up to 100m**  
Powerful **25x optical zoom**  
Starlight technology  
120 dB true WDR, 3D DNR  
Max. 25/30 fps@1080P, 25/30/50/60 fps@720P




205,000,000



NO	Model	Appearance	Specification	price
1	XVR1B04-I		<p>4CH 1080N/720 Real time cooper recorder  <b>H265</b> video compression - 4ch playback            (IP+CVI+AHD+TVI+CVBS) 4+1 IP up to 2mp            1 Audio input - 1 Audio output            1 sata port up to 6 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>   </div>	33,000,000
2	XVR1B08-I		<p>8CH 1080N/720 Real time cooper recorder  <b>H265</b> video compression - 8ch playback            (IP+CVI+AHD+TVI+CVBS) 8+2 IP up to 2mp            1 Audio input - 1 Audio output            1 sata port up to 6 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>   </div>	38,000,000
3	XVR1B16-I		<p>16CH 1080N/720 Real time cooper recorder  <b>H265</b> video compression - 16ch playback            (IP+CVI+AHD+TVI+CVBS) 16+2 IP up to 2mp            1 Audio input - 1 Audio output            1 sata port up to 6 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>   </div>	73,000,000

NO	Model	Appearance	Specification	price
1	XVR1B04H-I		<p>4CH <b>5M-N/1080P</b> non Real time recorder            5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 4ch playback            (IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>           </div>	48,000,000
2	XVR1B08H-I		<p>8CH <b>5M-N/1080P</b> non Real time recorder            5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 8ch playback            (IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>           </div>	68,000,000
3	XVR1B16H-I		<p>16CH <b>5M-N/1080P</b> non Real time recorder            5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 16ch playback            (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>           </div>	Call

NO	Model	Appearance	Specification	price
1	XVR5104HS-i3		<p>4CH <b>5M-N/1080P</b> non Real time recorder            5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 4ch playback            (IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 3*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>            </div>	53,000,000
2	XVR5108HS-i3		<p>8CH <b>5M-N/1080P</b> non Real time recorder            5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 8ch playback            (IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 3*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>            </div>	77,000,000
3	XVR5116HS-I3		<p>16CH <b>5M-N/1080P</b> non Real time recorder            5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 16ch playback            (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 3*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> <div>            </div>	126,000,000

1 XVR5104HS-4KL-i3



4CH **4K-N/5MP** Real time recorder  
 4k@7fps-6MP@10fps-5mp@12fps-4mp@15fps  
**H265+** video compression - 4ch playback  
 (IP+CVI+AHD+TVI+CVBS) 4+4 IP up to 8mp  
 1 sata port up to 16 tb - 1 Audio input - 1 Audio output  
**HDMI(4K)-VGA-LAN** Interface(1000mb) - p2p support  
 Lite Series H.265 8CH 4K HDMI Coax Audio Smart Fan Plug&Play P2P **Wiz Sense** Data Sheet PDF

70,000,000

2 XVR5108HS-4KL-I3



8CH **4K-N/5MP** Real time recorder  
 4k@7fps-6MP@10fps-5mp@12fps-4mp@15fps  
**H265+** video compression - 8ch playback  
 (IP+CVI+AHD+TVI+CVBS) 8+8 IP up to 8mp  
 1 sata port up to 16 tb - 1 Audio input - 1 Audio output  
**HDMI(4K)-VGA-LAN** Interface(1000mb) - p2p support  
 Lite Series H.265 AI Encoder 8CH 4K HDMI Coax Audio 1200m Smart Fan Plug&Play P2P **Wiz Sense** Data Sheet PDF

114,000,000

3 DH-XVR5116HS-4KL-I3



16CH **4K-N/5MP** Real time recorder  
**H265+** video compression - 16ch playback  
 (IP+CVI+AHD+TVI+CVBS) 16+16 IP up to 8mp  
 1 Audio input - 1 Audio output - PTZ Support  
 1 sata port up to 16 tb - 3\*USB3.0  
**HDMI(4K)-VGA-LAN** Interface(1000mb) - p2p support  
 Face Recognition Intrusion Protection SMD Plus Scheduled AI Smart Door Locking Alarm Video Interference Alert Audio over Coax AI Coding Audio over Coax 4K H265 **Wiz Sense** Data Sheet PDF

208,000,000

1 XVR5216AN-I3



16CH **5MP/N** NON Real time recorder  
**H265+** video compression - 16ch playback  
 (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp  
 1 Audio input - 1 Audio output - PTZ Support  
 1 SATA III Port, up to 16TB capacity for each HDD  
 HDMI-VGA-LAN Interface - p2p support

175,000,000



2 XVR5216AN-4KL-I3



16CH **4K-N/5MP** Real time recorder  
**H265+** video compression - 16ch playback  
 (IP+CVI+AHD+TVI+CVBS) 16+16 IP up to 8mp  
 1 Audio input - 1 Audio output - PTZ Support  
 2 SATA III Port, up to 10TB capacity for each HDD  
 HDMI-VGA-LAN Interface - p2p support

241,000,000



3 XVR5232AN-i3













32CH **5M-N/1080P** Real time recorder  
**H265+** video compression - 32ch playback  
 (IP+CVI+AHD+TVI+CVBS)  
 1 Audio input - 1 Audio output - PTZ Support  
 2 SATA III Port, up to 10TB capacity for each HDD  
 2 HDMI-VGA-LAN Interface - p2p support

222,000,000



NO	Model	Appearance	Specification	price
1	XVR4116HS-I		<p>16CH 1080N/720 Real time recorder</p> <p><b>H265</b> video compression - 16ch playback</p> <p>(IP+CVI+AHD+TVI+CVBS) 16+2 IP up to 6mp</p> <p>1 Audio input - 1 Audio output</p> <p>1 sata port up to 16 tb - 2*USB 2.0</p> <p>HDMI-VGA-LAN Interface - p2p support</p> <div>          </div>	Call
2	XVR4108HS-I		<p>8CH 1080N/720 Real time recorder</p> <p><b>H265</b> video compression - 8ch playback</p> <p>(IP+CVI+AHD+TVI+CVBS) 8+2 IP up to 6mp</p> <p>1 Audio input - 1 Audio output</p> <p>1 sata port up to 16 tb - 2*USB 2.0</p> <p>HDMI-VGA-LAN Interface - p2p support</p> <div>          </div>	Call
3				



NO	Model	Appearance	Specification	price
1	LM19-A200		<p>19.5" Monitor            Light and cost-effective plastic housing            High fidelity digital processing for a brilliant and vivid video            Low energy consumption, long service life            Input VGA×1, HDMI×1            Resolution 1600×900            DC 12V, 2A</p> <div>     </div>	48,000,000
2	LM22-H200		<p>21.5" FHD LED Monitor            5ms response time for no motion blur            178°/178° extra-wide viewing            Input VGA×1, HDMI×1            Resolution 1920×1080 (FHD)            DC 12V, 2A</p> <div>       </div>	56,000,000