




























































NO	Model	Appearance	Specification	price
1	PFS3010-8ET-65		<p>10-Port Fast Ethernet Switch with 8-Port PoE 10/100M PoE power supply ports .</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -10°C to +55°C</p> <p>Support 250 m long distance PoE tansmission</p> <p>Support PoE watchdog</p> <div>      </div>	31,000,000
2	PFS3006-4ET-36		<p>6-Port Fast Ethernet Switch with 4-Port PoE 10/100M PoE power supply ports .</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -10°C to +55°C</p> <p>Support 250 m long distance PoE tansmission</p> <p>Support PoE watchdog</p> <div>      </div>	18,000,000
3	PFS3005-4ET-36		<p>5-Port Fast Ethernet Switch with 4-Port PoE 10/100M PoE power supply ports .</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -10°C to +55°C</p> <p>Support PoE watchdog</p> <div>      </div>	16,500,000













NO	Model	Appearance	Specification	price
1	PFS3010-8ET-96		<p>10-Port Cloud Managed Desktop 8*10/100M & 2*10/100/1000M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> <div>      </div>	Call
2	PFS3009-8ET-65		<p>9-Port Fast Ethernet Switch with 8-Port PoE 10/100M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support PoE watchdog</p> <div>      </div>	28,500,000
3	CS4010-8ET-65		<p>10-Port Cloud Managed Desktop 65 watt 8*10/100M & 2*10/100/1000M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> <div>      </div>	33,000,000













NO	Model	Appearance	Specification	price
1	CS4010-8ET-110		<p>10-Port Cloud Managed Desktop 110 watt 8*10/100M & 2*10/100/1000M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> <div>      </div>	37,000,000
2	PFS3008-8GT-60		<p>8 Port Fast Ethernet Switch with 8-Port PoE 10/100/1000M PoE 65 W power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> <div>      </div>	40,000,000
3	CS4218-16ET-135		<p>16-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 16*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity</p> <div>      </div>	90,000,000




NO	Model	Appearance	Specification	price
1	PFS4218-16GT-190		16-Port PoE Gigabit Managed Switch Hi-PoE 60W 16*10/100/1000Mbps ports, 2*Gigabit uplink port Layer 2 network management PoE switch OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog Switching Capacity 52Gbps LED indicators for monitoring power, link and activity	180,000,000
2	PFS4218-16ET-190		16-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 16*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity	Call
3	PFS3218-16ET-135		16-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 16*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity	90,000,000









NO	Model	Appearance	Specification	price
1	PFS3117-16ET-135		<p>16-Port FE PoE+ 1-Port Gigabit Combo PoE Switch 16*10/100Mbps ports, 1*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity</p> <div></div>	Call
2	PFS3226-24ET-240		<p>24-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 24*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity</p> <div></div>	125,000,000
3	PFS4226-24ET-240		<p>24-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 24*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog & red port Support 90w LED indicators for monitoring power, link and activity</p> <div></div>	125,000,000

NO	Model	Appearance	Specification	price
1	PFS3005-5ET-L		5-Port Fast Ethernet Switch 10/100M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C     	5,200,000
2	PFS3008-8ET-L		8-Port Fast Ethernet Switch 10/100M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C     	5,500,000
3				

NO	Model	Appearance	Specification	price
1	PFS3005-5GT-L		5-Port Fast Ethernet Switch 10/100/1000M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C     	8,000,000
2	PFS3008-8GT-L		8-Port Fast Ethernet Switch 10/100/1000M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C     	12,000,000
3				

NO	Model	Appearance	Specification	price
1	HR900-AF-42N		<p>4-Port PoE + 2-Port uplink</p> <p>6*10/100Mbps Ai poe switch</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -20°C to +50°C</p> <p>Support PoE watchdog</p> <p>LED indicators for monitoring power, link and activity</p> 	22,800,000
2	HR900-AFG-42N		<p>4-Port PoE + 2-Port uplink</p> <p>6*10/100/1000 Mbps Ai poe switch</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -20°C to +50°C</p> <p>Support PoE watchdog - 12 gbps</p> <p>LED indicators for monitoring power, link and activity</p> 	33,000,000
3	HR900-AF-82N		<p>8-Port PoE + 2-Port uplink</p> <p>10*10/100Mbps Ai poe switch</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -20°C to +50°C</p> <p>Support PoE watchdog</p> <p>LED indicators for monitoring power, link and activity</p> 	27,500,000

NO	Model	Appearance	Specification	price
1	HR900-AF-82GN		<p>8-Port PoE + 2-Port uplink Gig</p> <p>8*10/100Mbps + 2*10/100/1000Mbps Ai poe switch</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -20°C to +50°C</p> <p>Support PoE watchdog</p> <p>LED indicators for monitoring power, link and activity</p> 	41,000,000
2	HR901-AF-1621GS-300		<p>16-Port PoE + 2-Port uplink + 1 port uplink SFP (Fibr)</p> <p>16*10/100Mbps + 2*10/100/1000Mbps Ai poe switch</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -20°C to +50°C</p> <p>Support PoE watchdog - 9.2 gbps</p> <p>LED indicators for monitoring power, link and activity</p> 	97,500,000
3	HR902-AF-162G-300		<p>16-Port PoE + 2-Port uplink</p> <p>16*10/100Mbps + 2*10/100/1000Mbps Ai poe switch</p> <p>Support 802.3af and 802.3at standards</p> <p>OperatingTemperature: -20°C to +50°C</p> <p>Support PoE watchdog - 7.2 gbps</p> <p>LED indicators for monitoring power, link and activity</p> 	85,000,000

Page : 10

NO

Model

Appearance

Specification

price

1 HR901-AF-2421GS-300



16-Port PoE + 2-Port uplink + 1 port uplink SFP (Fibr)

16*10/100Mbps + 2*10/100/1000Mbps Ai poe switch

Support 802.3af and 802.3at standards

OperatingTemperature: -20°C to +50°C

Support PoE watchdog - 10.8 gbps












LED indicators for monitoring power, link and activity






128,000,000

2

3

NO	Model	Appearance	Specification	price
1	Ls1005		5-Port Fast Ethernet Switch 10/100M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C    	Call
2	Ls1008		8-Port Fast Ethernet Switch 10/100M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C    	Call
3	M920 DLINK		3× 10/100 Mbps LAN ports 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C	36,500,000

NO	Model	Appearance	Specification	price
1	Mr6400 4G		3× 10/100 Mbps LAN ports + 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C	38,000,000
2	Mr100 4G		1× 10/100 Mbps LAN ports + 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C	37,000,000
3	Mr105 4G		1× 10/100 Mbps LAN ports, 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C	33,000,000

1

LHG 5

Dual chain 24.5dBi 5GHz CPE/Point-to-Point Integrated Antenna,
600Mhz CPU, 64MB RAM



56,000,000

2

SXTsq Lite5

Low-cost small-size 16dBi 5GHz dual chain integrated CPE/Backbone



36,000,000

3

OmniTIK 5 ac

7.5dBi Integrated AP, 5GHz Dual chain with 802.11ac support, 5x
Gigabit Ethernet ports



102,500,000

1

SXTsq 5 ac

Low-cost small-size 16dBi 5GHz dual chain integrated CPE/Backbone with AC support and Gigabit Ethernet



Call

2

SXT SA5 ac

802.11ac up to 540Mbit, high output, wide beamwidth sector antenna



102,000,000

3