

NO	Model	Appearance	Specification	price
1	IPC-HDW1230T1-S5		2MP Dome Network Camera 25/30fps@1080P 2.8 or 3.6mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic       	28,500,000
2	IPC-HFW1230S1-S5		2MP Bullet Network Camera 25/30fps@1080P 2.8 or 3.6 Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic       	28,500,000
3	IPC-HFW1239S1-LED-S5		2MP Bullet Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic        	34,000,000
4	IPC-HDW1239T1-LED-S5		2MP Dome Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic        	34,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HDW2241E-S		2MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)      starlight 	43,000,000
2	 IPC-HFW2241S-S		2MP Bullet Network Camera 25/30fps@1080P built in Mic 2.8mm or 3.6mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) WDR 120DB       starlight 	43,000,000
3	IPC-HDW1230R1-S5		2MP Dome Network Camera 25/30fps@1080P 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic      	30,500,000
4	 IPC-HDW1230T1-AS-S2		2MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)      	33,500,000

1  IPC-HDW2230TP-AS-S2



2MP Dome **Network Camera** 25/30fps@1080P **built in Mic**
2.8mm, Max. IR LEDs Length **30m**, Smart IR
Max. 256 G micro SD card
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)

42,000,000



2  IPC-HFW1239TL1-A-IL



2MP Bullet **Network Camera** 25/30fps@1080P **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal + plastic

37,000,000



3  DH-IPC-HDW1239V-A-IL



2MP dome **Network Camera** 25/30fps@1080P **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal + plastic

37,000,000



1  IPC-HFW2239S-SA-LED-S2



2MP Bullet **Network Camera** 25/30fps@2MP
3.6mm or 2.8mm - Smart LED **warm light LED** Distance **20m**
Max. 256 G micro SD card WDR 120DB
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



Call

2 IPC-HFW2231TP-ZS-S2



2MP Bullet **Motorized** Bullet Network Camera 30fps@2MP
2.7-13.5mm, Max. IR LEDs Length **60m** Smart IR
Max. 256 G micro SD card / IK10
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



76,500,000



3  IPC-HFW2231T-AS-S2



2MP Bullet **Network Camera** 30fps@2MP **built in Mic**
3.6mm, Max. IR LEDs Length **80m**, Smart IR
Max. 256 G micro SD card WDR 120DB
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



45,500,000



4 ANPR camera Noname



ANPR camera , 120 km/h in day - 100km/h in night
2MP Bullet **Network Camera** 30fps@2MP
12 mm fix lenz, Max. LEDs Length **50m**
Non poe support
Ip67 - H.265+

90,000,000

1 HDBW2231F-AS-S2



2MP Dome **Network Camera** 25/30fps@1080P

2.2mm, Max. IR LEDs Length **30m**, Smart IR

Alarm: 1 in, 1 out; audio: 1 in, 1 out;

56,500,000

built-in Mic; supports max. 256 GB Micro SD card.

Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



2

3

4

NO	Model	Appearance	Specification	price
1	IPC-HDW1431T1-S4		4MP Dome Network Camera 25/30fps@4MP 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)      	45,000,000
2	IPC-HFW1431S1P-S4		4MP Bullet Network Camera 25/30fps@4MP 3.6mm or 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)      	45,000,000
3	IPC-HFW1439S1-LED-S4		4MP Bullet Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic       	47,500,000
4	IPC-HDW1439T1-LED-S4		4MP Dome Network Camera 25/30fps@1080P 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 20m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case Plastic       	47,500,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2441S-S		4MP Bullet Network Camera 25/30fps@4MP built in Mic 2.8mm or 3.6mm, Max. IR LEDs Length 30m , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal       starlight	56,000,000
2	 IPC-HDBW2441E-S		4MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 30m , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal       starlight	56,000,000
3	 HFW1439TL1-A-IL		4MP Bullet Network Camera 25/30fps@4mp built in Mic 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 30m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic       Full-color	55,000,000
4	 HDW1439V-A-IL		4MP dome Network Camera 25/30fps@4mp built in Mic 2.8 or 3.6 mm - Smart LED warm light Illumination Distance 30m Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic       Full-color	55,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2441T-ZS		4MP Bullet Motorized Bullet Network Camera 30fps@4MP 2.7-13.5mm, Max. IR LEDs Length 60m Smart IR Max. 256 G micro SD card / IK10 Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight 	119,000,000
2	 IPC-HDW2441T-S		4MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight 	56,000,000
3	 IPC-HDW1431T1-AS-S4		4MP Dome Network Camera 25/30fps@4MP built in Mic 2.8mm, Max. IR LEDs Length 30m, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)      	49,500,000
4	 IPC-HDBW3441E-S-S2		4MP Dome Network Camera 25/30fps@1080P built in Mic 2.8mm, Max. IR LEDs Length 50m, Smart IR Max. 256 G micro SD card H.265+ - PoE Ip67 - Ik10 - SMD 4.0 -AI(Tripwire Intrusion) Alarm: 1 in, 1 out ; audio: 1 in, 1 out       	89,500,000

1  IPC-HFW2441T-AS



4MP Bullet **Network Camera** 15fps@4MP **built in Mic**
3.6mm, Max. IR LEDs Length **80m**, Smart IR
Max. 256 G micro SD card WDR 120DB
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)

76,500,000



2  DH-IPC-HFW3449E-AS-LED



4MP Bullet **Network Camera** 25/30fps@4MP
3.6mm - Smart LED **warm light & IR LED** Illumination Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB

98,500,000



3  IPC-HFW2449S-S-IL



4MP Bullet **Network Camera** 25/30fps@4MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB

70,000,000



4  IPC-HDW2449T-S-IL



4MP Dome **Network Camera** 25/30fps@4MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
WDR 120DB

70,000,000

1  IPC-HFW2449T-AS-IL




4MP Bullet **Network Camera** 25/30fps@4MP **built in Mic**
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **60m**
Max. 256 G micro SD card
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion) **81,000,000**
Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max
WDR 120DB - IK10



2  IPC-HFW2549S-S-IL



5MP Bullet **Network Camera** 25/30fps@5MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion) **77,000,000**
WDR 120DB



3  IPC-HFW2849S-S-IL



8MP Bullet **Network Camera** 25/30fps@8MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion) **103,000,000**
WDR 120DB



4  IPC-HDW2849T-S-IL



8MP Dome **Network Camera** 25/30fps@8MP
3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **20m**
Max. 256 G micro SD card **built in Mic**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion) **103,000,000**
WDR 120DB

1  HFW1639TC-A-IL



6MP Bullet **Network Camera** 25/30fps@6mp **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal



67,500,000

2  HDW1639T-A-IL



6MP dome **Network Camera** 25/30fps@6mp **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal



67,500,000

3  HFW1839TC-A-IL



8MP Bullet **Network Camera** 25/30fps@8mp **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal



83,000,000

4  HDW1839T-A-IL



8MP dome **Network Camera** 25/30fps@8mp **built in Mic**
2.8 or 3.6 mm - Smart LED **warm light** Illumination Distance **30m**
Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)
Case metal



83,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2841T-AS		8MP Bullet Network Camera 15fps@8MP-4K built in Mic 3.6mm, Max. IR LEDs Length 80m, Smart IR Max. 256 G micro SD card WDR 120DB Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight 	125,000,000
2	 IPC-HFW2841T-ZS		8MP Bullet Motorized Bullet Network Camera 30fps@8MP 2.7-13.5mm, Max. IR LEDs Length 60m Smart IR built in Mic Max. 128 G micro SD card / IK10 Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight	170,000,000
3	 IPC-HFW2841S-S		8MP Bullet Network Camera 15fps@8MP-4K built in Mic 3.6mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight 	101,000,000
4	 IPC-HDBW2841E-S		8MP Dome Network Camera 15fps@8MP-4K built in Mic 3.6mm, Max. IR LEDs Length 30m, Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       starlight 	101,000,000

1  IPC-PFW3849S-A180-AS-PV



2x4MP TiOC Duo Splicing Fixed-focal Bullet WizSense Camera max. IR illumination and warm light distance is 20 m.

Alarm: 1 in, 1 out; audio: 1 in, 1 out;

supports max. 256 G Micro SD

232,000,000

Outputs **180° wide** angle splicing image.

built in dual **Mic**; built in **speaker**, support two-way talk.

Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)



2  IPC-HFW2849T-AS-IL



8MP Bullet Network Camera 25/30fps@8MP built in Mic

3.6mm or 2.8mm - Smart LED **warm light & IR LED** Distance **60m**

Max. 256 G micro SD card

Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)

Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max **Call**

WDR 120DB - IK10



NO	Model	Appearance	Specification	price
1	SD49225XA-HNR-S		2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel CMOS Powerful 25x optical zoom Starlight technology Perimeter protection PoE+ , IP66 , SMD PLUS IR distance up to 100m       	Call
2	SD49825GB-HNR		8MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 8Megapixel STARVIS™ CMOS. Powerful 25x optical zoom Starlight technology Perimeter protection PoE+ , IP66 , SMD PLUS IR distance up to 100m       	Call
3	SDT4E425-4F-GB-A-PV1		2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel CMOS Auto tracking 3.0 Smart tracking Powerful 25x optical zoom Panorama: 4 MP , Detail: 4 MP Pattern; Preset; Scan; Tour SMD4.0 Perimeter protection 120 dB WDR PoE+ , IP66 , SMD PLUS IR distance up to 100m Smart dual light +.      	354,000,000

NO	Model	Appearance	Specification	price
1	SD6AL245XA-HNR		2MP 45x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel STARVIS CMOS Powerful 45x optical zoom Max 50/60 fps@1080P Starlight technology Auto-tracking & face detection PoE+ , IP66 , SMD PLUS & Perimeter protection Lazer distance up to 550m 2 IR Light & 1 Laser        	Call
2	SD5A232XA-HNR		2MP 32x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel STARVIS CMOS Powerful 32x optical zoom Max 50/60 fps@1080P Starlight technology Auto-tracking & face detection PoE+ , IP67 , IK10 , SMD PLUS & Perimeter protection Lazer distance up to 150m       	Call
3	SD5A445GB-HNR		4MP 45x Starlight IR WizSense Network PTZ Camera 1/2.8" 4 Megapixel STARVIS CMOS Powerful 45x optical zoom Max 50/60 fps@4MP Starlight technology Auto-tracking 3.0 Face detection. SMD 4.0. PoE+ , IP67, IK10 , & Perimeter protection Lazer distance up to 150m       	Call

NO	Model	Appearance	Specification	price
1	SD49225DB-HNY		2MP 25x Starlight IR WizSense Network PTZ Camera 1/2.8" 2Megapixel CMOS Powerful 25x optical zoom Starlight technology Perimeter protection PoE+ , IP66 , SMD PLUS IR distance up to 100m H.265 WDR II 0.005 Lux ICR D/N IP66 PoE+ Data Sheet	247,000,000

2

3

1 NVR616H-128-XI



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs **AcuPick** with up to 64 ch
 Max **1280/1280/1024** Mbps incoming bandwidth
Up to 12MP resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
16 SATA III Port, up to **10TB** capacity for each HDD

Call



2 NVR616DR-128-4ks2



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
Up to 12MP resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
16 SATA III Port, up to **10TB** capacity for each HDD

Call



3 NVR616-128-4KS2



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
Up to 12MP resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
16 SATA III Port, up to **10TB** capacity for each HDD

Call



1 NVR608-128-4KS2



H.265+ codec decoding **HDMI 4K**
 Max **128 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
 8 **SATA** III Port, up to **10TB** capacity for each HDD

Call



2 NVR608-64-4kS2



H.265+ codec decoding **HDMI 4K**
 Max **64 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
 8 **SATA** III Port, up to **10TB** capacity for each HDD

Call



3 NVR608-32-4KS2



H.265+ codec decoding **HDMI 4K**
 Max **32 channel** IP camera inputs
 Max **384 Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 16ch@8MP/16ch@1080P decoding
 8 **SATA** III Port, up to **10TB** capacity for each HDD

Call



1 NVR5864-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **64 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

670,000,000

8 SATA III Port, up to **16TB** capacity for each HDD



2 NVR5464-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **64 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

580,000,000

4 SATA III Port, up to **16TB** capacity for each HDD



3 NVR5832-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **32 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

623,000,000

8 SATA III Port, up to **16TB** capacity for each HDD



1 NVR5432-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **32 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

434,000,000

4 SATA III Port, up to **16TB** capacity for each HDD



2 NVR5232-EI



32Mp H.265+ codec decoding - **AI** by recorder **HDMI 4K**

Max **32 channel** IP camera inputs

Max **384 Mbps** incoming bandwidth

Up to **32MP** resolution preview&playback

Up to 16ch@8MP/16ch@1080P decoding

305,000,000

2 SATA III Port, up to **16TB** capacity for each HDD



3

NO	Model	Appearance	Specification	price
1	NVR4232-EI		H.265+/H.264+ codec decoding HDMI 4K Max 32 channel IP camera inputs Max 256 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 2ch@16MP/16ch@1080P decoding 2 SATA III Port, up to 16TB capacity for each HDD      	182,000,000
2	NVR4432-EI		H.265+/H.264+ codec decoding HDMI 4K Max 32 channel IP camera inputs Max 256 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 2ch@16MP/16ch@1080P decoding 4 SATA III Port, up to 16TB capacity for each HDD      	282,000,000
3	NVR4232-4KS3		H.265+/H.264+ codec decoding HDMI 4K Max 32 channel IP camera inputs Max 200 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/16ch@1080P decoding 2 SATA III Port, up to 20TB capacity for each HDD      	169,000,000

NO	Model	Appearance	Specification	price
1	DH-NVR5216-EI		H.265+/H.264+ codec decoding HDMI 4K Max 16 channel IP camera inputs Max 384 Mbps incoming bandwidth Up to 32MP resolution preview&playback Up to 2ch@32MP/8ch@8MP decoding 2 SATA III Port, up to 20TB capacity for each HDD 	249,000,000
2	DH-NVR4216-EI		H.265+/H.264+ codec decoding HDMI 4K Max 16 channel IP camera inputs Max 256 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 2ch@16MP/8ch@4MP decoding 2 SATA III Port, up to 16TB capacity for each HDD 	133,500,000
3	DH-NVR4216HS-4KS3		H.265+/H.264+ codec decoding HDMI 4K Max 16 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 2 SATA III Port, up to 20TB capacity for each HDD 	122,500,000

NO	Model	Appearance	Specification	price
1	DH-NVR4116HS-2N-4KS3		H.265+/H.264+ codec decoding HDMI 4K Max 16 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 20TB capacity for each HDD 2 PORT NETWORK 10/100      	Call
2	DH-NVR4116-4KS3		H.265+/H.264+ codec decoding HDMI 4K Max 16 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@12MP/8ch@1080P decoding 1 SATA III Port, up to 20TB capacity for each HDD     	100,000,000
3	DH-NVR4116-4KS2/L		H.265+/H.264+ codec decoding HDMI 4K Max 16 channel IP camera inputs Max 143 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 20TB capacity for each HDD     	91,000,000

1 DH-NVR2216-I2



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **16 channel** IP camera inputs ONVIF; RTSP
 Max **144Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 1ch@12MP/8ch@1080P decoding
 2 SATA III Port, up to 10TB capacity for each HDD

107,000,000



2 DH-NVR4108-EI



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **8 channel** IP camera inputs
 Max **80 Mbps** incoming bandwidth
 Up to **16MP** resolution preview&playback
 Up to 2ch@16MP/8ch@4MP decoding
 1 SATA III Port, up to 16TB capacity for each HDD

100,000,000



3 DH-NVR2108HS-I



H.265+/H.264+ codec decoding **HDMI 4K**
 Max **8 channel** IP camera inputs ONVIF; RTSP
 Max **80Mbps** incoming bandwidth
 Up to **12MP** resolution preview&playback
 Up to 1ch@12MP/8ch@1080P decoding
 1 SATA III Port, up to 10TB capacity for each HDD

Call



NO	Model	Appearance	Specification	price
1	DH-NVR1108HS-S3/H		H.265+/H.264+ codec decoding Max 8 channel IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 10TB     	53,500,000
2	NVR2108HS-2N-4KS3		H.265+/H.264+ codec decoding HDMI 4K Max 8 channel IP camera inputs Max 80 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 20TB capacity for each HDD 2 PORT NETWORK 10/100      	73,500,000
3	DH-NVR4108HS-4KS3		H.265+/H.264+ codec decoding HDMI 4K Max 8 channel IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 20TB capacity for each HDD      	84,500,000

NO	Model	Appearance	Specification	price
1	NVR2104HS-P-I2		H.265+/H.264+ codec decoding Max 4 channel poe IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 8TB resolution of HDMI is 4K 	78,000,000
2	NVR2104HS-I2		H.265+/H.264+ codec decoding Max 4 IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 8TB resolution of HDMI is 4K 	59,500,000
3	DH-NVR1104HS-S3/H		H.265+/H.264+ codec decoding Max 4 channel IP camera inputs ONVIF; RTSP Max 80Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 2ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 10TB 	47,000,000