










NO	Model	Appearance	Specification	price
1	HAC-B1A21		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lenth <b>20m</b> - Smart IR            Case Fiber Glass - IP67</p> 	20,000,000
2	HAC-T1A21		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm or 3.6MM Fix lenz            MAX IR lenth <b>20m</b> - Smart IR            Case Plastic</p> 	20,000,000
3	HAC-B2A21		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm &amp; 2.8mm Fix lenz            MAX IR lenth <b>20m</b> - Smart IR            Case Metal (Aluminum) - IP67</p> 	23,000,000
4	HAC-T2A21		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm &amp; 3.6mm Fix lenz            MAX IR lenth <b>20m</b> - Smart IR            Case Metal (Aluminum) - IP67</p> 	23,000,000

NO	Model	Appearance	Specification	price
1	HAC-B1A21-U		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm or 3.6MM Fix lenz            MAX IR lengh <b>25m</b> - Smart IR            Case Plastic</p> 	20,000,000
2	HAC-T1A21-U		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm or 3.6MM Fix lenz            MAX IR lengh <b>25m</b> - Smart IR            Case Plastic</p> 	20,000,000
3	HAC-B2A21-U		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm or 3.6MM Fix lenz            MAX IR lengh <b>25m</b> - Smart IR            Case metal</p> 	23,000,000
4	HAC-T2A21-U		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm or 3.6MM Fix lenz            MAX IR lengh <b>25m</b> - Smart IR            Case metal</p> 	23,000,000

NO	Model	Appearance	Specification	price
1	HAC-HFW1200DP		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lengh <b>80m</b> - Smart IR            Case Metal (Aluminum) - IP67</p> 	35,500,000
2	HAC-HFW1200TLP		<p>2MP Resolution MAX 30fps@2MP            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lengh <b>40M</b> - Smart IR            Case Metal &amp; Fiber - IP67</p> 	Call
3	HAC-HFW1200TP		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm or 3.6MM Fix lenz            MAX IR lengh <b>30m</b> Smart IR            Case Metal (Aluminum) - IP67</p> 	32,500,000
4	HAC-HFW1200THP-I8		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lengh <b>80m</b> - Smart IR            Case Fiber &amp; Metal (Aluminum) - IP67</p> 	Call

NO	Model	Appearance	Specification	price
1	 HAC-HDW1200TRQP_A		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz - <b>built in Mic</b>            MAX IR lenth <b>25m</b> Smart IR            Case Fiber Glass &amp; Metal (Aluminum) - IP67</p> 	29,000,000
2	 HAC-HFW1200TP-A		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz - <b>built in Mic</b>            MAX IR lenth <b>30m</b> Smart IR            Case Metal (Aluminum) - IP67</p> 	34,000,000
3	 HAC-HDW1200EMP_A		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz - <b>built in Mic</b>            MAX IR lenth <b>50m</b> Smart IR            Case Metal (Aluminum) - IP67</p> 	Call
4	 HAC-HDW1200TLMQP-A		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz - <b>built in Mic</b>            MAX IR lenth <b>30m</b> Smart IR            Case Metal (Aluminum) - IP67</p> 	40,000,000







NO	Model	Appearance	Specification	price
1	HAC-HDW1200TRQP		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz            MAX IR lenth <b>25m</b> Smart IR            Case plastic</p> 	25,500,000
2	HAC-D1A21P		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lenth <b>20m</b> - Smart IR            Case Plastic</p> 	Call
3	HDW1200EP-S5		<p>2MP Resolution MAX 30fps@1080P            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lenth <b>30m</b> - Smart IR            Case metal</p> 	Call
4	HAC-HFW1200CP		<p>2MP Resolution MAX 30fps@2MP            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lenth <b>30m</b> - Smart IR            Case Metal &amp; carbon - IP67</p> 	Call

NO	Model	Appearance	Specification	price
1	HAC-HDW1209TLQP-LED		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	29,500,000
2	 HAC-HDW1209TLQP-A-LED		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	34,000,000
3	HAC-HFW1209CP-LED		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	31,000,000
4	 HAC-HFW1209TLMP-A-LED		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>40m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	43,000,000

NO	Model	Appearance	Specification	price
1	HAC-HFW1200CLP-A-IL		<p>2MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6 mm Fix lenz <b>built in Mic</b>            Smart Dual Light WL Mode; IR Mode 20 m            Case carbon IP67</p> 	29,000,000
2	HAC-HDW1200CLQP-A-IL		<p>2MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6 mm Fix lenz <b>built in Mic</b>            Smart Dual Light WL Mode; IR Mode 20 m            Case carbon IP67</p> 	29,000,000
3	HAC-HFW1209CMP-A-LED		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>20m</b> Smart LED            Case <b>METAL</b></p> 	41,000,000
4	HAC-HFW1239TP-LED		<p>2MP Resolution MAX 30fps@2mp            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6 mm Fix lenz            Smart LED 20M            Case METAL IP67</p> 	35,000,000

NO	Model	Appearance	Specification	price
1	HAC-HFW1200TLM-IL-A		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>40m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	39,000,000
2	HAC-HFW1209TLMP-LED		<p>2MP Resolution MAX 30fps@1080P <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>40m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	39,000,000
3				
4				

NO	Model	Appearance	Specification	price
1	HAC-B1A51P-U		<p>5MP Resolution MAX 25fps@5mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lengh <b>20m</b> - Smart IR            Case Fiber Glass - IP67</p> 	30,500,000
2	HAC-T1A51P-U		<p>5MP Resolution MAX 25fps@5mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lengh <b>20m</b> - Smart IR            Case Plastic</p> 	30,500,000
3	HAC-B2A51P-U		<p>5MP Resolution MAX 25fps@5mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lengh <b>20m</b> - Smart IR            Case <b>Metal</b> - IP67</p> 	33,500,000
4	HAC-T2A51P-U		<p>5MP Resolution MAX 30fps@4mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lengh <b>20m</b> - Smart IR            Case <b>Metal</b> (Aluminum) - IP67</p> 	33,500,000

NO	Model	Appearance	Specification	price
1	HAC-HDW1500TRQP		<p>5MP Resolution MAX 30fps@5mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX IR lenth <b>25m</b> - Smart IR            Case plastic</p> 	34,000,000
2	 HAC-HDW1500TRQP-A		<p>5MP Resolution MAX 30fps@5mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX IR lenth <b>25m</b> - Smart IR            Case plastic</p> 	37,000,000
3	 HAC-HDW1501TRQP-A		<p>5MP Resolution MAX 30fps@5mp            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX IR lenth <b>25m</b> - Smart IR            Case plastic</p> 	37,000,000
4	 HAC-HDW1500TLMQP_A		<p>5MP Resolution MAX 5mp            CVI-AHD-TVI-CVBS switchable            2.8mm Fix lenz - <b>built in Mic</b>            MAX IR lenth <b>30m</b> Smart IR            Case Metal (Aluminum) - IP67</p> 	44,500,000

1 HAC-HFW1500CP



5MP Resolution MAX 30fps@5MP  
CVI-AHD-TVI-CVBS switchable  
3.6mm Fix lenz  
MAX IR lenth **30m** - Smart IR  
Case Metal & carbon - IP67



Call

2 HAC-HDW1500TLMQP



5MP Resolution MAX 5mp  
CVI-AHD-TVI-CVBS switchable  
2.8mm Fix lenz  
MAX IR lenth **30m** Smart IR  
Case Metal (Aluminum) - IP67



42,500,000



3

4

NO	Model	Appearance	Specification	price
1	HAC-HFW1500DP		<p>5MP Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lenth <b>80m</b> - Smart IR Case Metal (Aluminum) - IP67</p> <p>       <b>starlight</b> </p>	63,000,000
2	HAC-HFW1500TLP		<p>5MP Resolution MAX 30fps@5MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lenth <b>40M</b> - Smart IR Case Metal &amp; Fiber - IP67</p> <p>       </p>	Call
3	HAC-HFW1500TP		<p>5MP Resolution MAX 30fps@5MP CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz MAX IR lenth <b>30m</b> - Smart IR Case Metal (Aluminum) - IP67</p> <p>       </p>	44,000,000
4	 HAC-HFW1500RL-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b> CVI-AHD-TVI-CVBS switchable 3.6mm Fix lenz <b>built in Mic</b> Smart Dual Light WL Mode; IR Mode 30 m Case carbon IP67</p> <p>        </p>	38,000,000







NO	Model	Appearance	Specification	price
1	HAC-HFW1500CLP-A-IL		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz <b>built in Mic</b>            Smart Dual Light WL Mode; IR Mode 20 m            Case carbon IP67</p> 	37,000,000
2	HAC-HDW1500CLQP-A-IL		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz <b>built in Mic</b>            Smart Dual Light WL Mode; IR Mode 20 m            Case carbon IP67</p> 	37,000,000
3	HAC-HFW1509CP-LED		<p>5MP Resolution MAX 30fps@5MP <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	Call
4	HAC-HFW1509CP-A-LED		<p>5MP Resolution MAX 30fps@5MP <b>Full Color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm or 2.8MM Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - Ip67</p> 	Call

NO	Model	Appearance	Specification	price
1	HAC-HFW1509TP-LED		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX Illumination Distance <b>20m</b> Smart LED            Case Metal (Aluminum) - IP67</p> 	53,500,000
2	 HAC-HFW1509TP-A-LED		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>20m</b> Smart LED            Case Metal (Aluminum) - IP67</p> 	62,500,000
3	HAC-HDW1509TLQP-LED		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - IP67</p> 	46,000,000
4	 HAC-HDW1509TLQP-A-LED		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>20m</b> Smart LED            Case Fiber Glass &amp; Metal - IP67</p> 	51,000,000

NO	Model	Appearance	Specification	price
1	 HAC-HFW1509TLMP-A-LED		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b> 120 dB true WDR            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>40m</b> Smart LED            Case Fiber Glass &amp; Metal - IP67</p> 	69,000,000
2	 HAC-HFW1509TLMP-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable <b>120 dB true WDR</b>, 3D NR            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m</b> Smart Dual Illuminators            Case Fiber Glass &amp; Metal - IP67</p> 	69,000,000
3	 HAC-HFW1500TLMP-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m</b> Smart Dual Illuminators            Case Fiber Glass &amp; Metal - IP67</p> 	Call
4	<b>B4A41P</b> Varifocal 2.8-12 mm		<p>4MP Resolution MAX 30fps@4MP            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lenth <b>40M</b> - Smart IR            Case Metal &amp; Fiber - IP67  <b>Varifocal 2.8-12 mm</b></p>	Call







NO	Model	Appearance	Specification	price
1	 HAC-HDW1509TP-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable <b>120 dB true WDR</b>, 3D NR            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m Smart Dual Illuminators</b>            Case Fiber Glass &amp; Metal - Ip67</p> 	Call
2	 HAC-HDW1500TP-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable <b>120 dB true WDR</b>, 3D NR            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m Smart Dual Illuminators</b>            Case Metal - Ip67</p> 	Call
3	 HAC-HDW1500TLMN-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable , 3D NR            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>  <b>40m Smart Dual Illuminators</b>            Case Metal - Ip67</p> 	Call
4	 HAC-HFW1500CMP-IL-A		<p>5MP Resolution MAX 30fps@5mp <b>Full color</b>            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz <b>built in Mic</b>  <b>Smart Dual Light WL Mode; IR Mode 20 m</b>            Case METAL IP67</p> 	Call

NO	Model	Appearance	Specification	price
1	 HFW1809TLMP-A-LED		<p>8MP Resolution MAX 15fps@4K <b>Full color 120 dB true WDR</b>            CVI-AHD-TVI-CVBS switchable            2.8 OR 3.6mm Fix lenz <b>built in Mic</b>            MAX Illumination Distance <b>40m</b> Smart LED            Case Fiber Glass &amp; Metal - IP67</p> 	99,000,000
2	HAC-HFW1800TP		<p><b>8MP</b> Resolution MAX 20fps@8MP            CVI-AHD-TVI-CVBS switchable            3.6mm Fix lenz            MAX IR lenth <b>30m</b> - Smart IR            Case Metal (Aluminum) - IP67</p> 	67,000,000
3	 EBW3802 <b>FISH EYE</b>		<p>8MP Resolution MAX 15fps@4K <b>FISH EYE</b>            CVI-AHD-TVI-CVBS switchable <b>120 dB true WDR</b>, 3D NR            Panoramic fisheye lens <b>built in Mic</b>  <b>15m</b> Smart Dual Illuminators            Case Fiber Glass &amp; Metal - Ip67 - IK10</p> 	Call
4	SD49225DB-HC <b>25X CVI</b>		<p>2MP 25x Starlight IR PTZ HDCVI Camera            1/2.8" 2Megapixel CMOS <b>IR distance up to 100m</b>            Powerful <b>25x optical zoom</b>            Starlight technology            120 dB true WDR, 3D DNR            Max. 25/30 fps@1080P, 25/30/50/60 fps@720P</p> 	280,000,000










NO	Model	Appearance	Specification	price
1	XVR1B04-I		<p>4CH 1080N/720 Real time cooper recorder  <b>H265</b> video compression - 4ch playback            (IP+CVI+AHD+TVI+CVBS) 4+1 IP up to 2mp            1 Audio input - 1 Audio output            1 sata port up to 6 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> 	55,000,000
2	XVR1B08-I		<p>8CH 1080N/720 Real time cooper recorder  <b>H265</b> video compression - 8ch playback            (IP+CVI+AHD+TVI+CVBS) 8+2 IP up to 2mp            1 Audio input - 1 Audio output            1 sata port up to 6 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> 	64,000,000
3	XVR1B16-I		<p>16CH 1080N/720 Real time cooper recorder  <b>H265</b> video compression - 16ch playback            (IP+CVI+AHD+TVI+CVBS) 16+2 IP up to 2mp            1 Audio input - 1 Audio output            1 sata port up to 6 tb - 2*USB 2.0            HDMI-VGA-LAN Interface - p2p support</p> 	123,000,000




NO	Model	Appearance	Specification	price
1	XVR1B04-I/T		<p>4CH 1080N/720 Real time cooper recorder  <b>two-way talk</b> over coaxial cable  <b>H265</b> video compression - 4ch playback                      (IP+CVI+AHD+TVI+CVBS) 4+1 IP up to <b>6mp</b>                      1 Audio input - 1 Audio output                      1 sata port up to 6 tb - 2*USB 2.0                      HDMI-VGA-LAN Interface - p2p support                      4 channel <b>SMD</b> Plus for analog channels</p> 	55,000,000
2	XVR1B08-I/T		<p>8CH 1080N/720 Real time cooper recorder  <b>two-way talk</b> over coaxial cable  <b>H265</b> video compression - 4ch playback                      (IP+CVI+AHD+TVI+CVBS) 8+2 IP up to <b>6mp</b>                      1 Audio input - 1 Audio output                      1 sata port up to 6 tb - 2*USB 2.0                      HDMI-VGA-LAN Interface - p2p support                      8 channel <b>SMD</b> Plus for analog channels</p> 	64,000,000
3	XVR1B16-I/T		<p>16CH 1080N/720 Real time cooper recorder  <b>two-way talk</b> over coaxial cable  <b>H265</b> video compression - 4ch playback                      (IP+CVI+AHD+TVI+CVBS) 16+2 IP up to <b>6mp</b>                      1 Audio input - 1 Audio output                      1 sata port up to 6 tb - 2*USB 2.0                      HDMI-VGA-LAN Interface - p2p support                      16 channel <b>SMD</b> Plus for analog channels</p> 	123,000,000





NO	Model	Appearance	Specification	price
1	XVR1B04H-I		<p>4CH <b>5M-N/1080P</b> non Real time recorder                      5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 4ch playback                      (IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 sata port up to 16 tb - 2*USB 2.0                      HDMI-VGA-LAN Interface - p2p support</p>  <p><b>Wiz Sense</b></p>	73,000,000
2	XVR1B08H-I		<p>8CH <b>5M-N/1080P</b> non Real time recorder                      5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 8ch playback                      (IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 sata port up to 16 tb - 2*USB 2.0                      HDMI-VGA-LAN Interface - p2p support</p>  <p><b>Wiz Sense</b></p>	116,000,000
3	XVR1B16H-I		<p>16CH <b>5M-N/1080P</b> non Real time recorder                      5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 16ch playback                      (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 sata port up to 16 tb - 2*USB 2.0                      HDMI-VGA-LAN Interface - p2p support</p>  <p><b>Wiz Sense</b></p>	Call

NO	Model	Appearance	Specification	price
1	XVR5104HS-i3		<p>4CH <b>5M-N/1080P</b> non Real time recorder                      5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 4ch playback                      (IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 sata port up to 16 tb - 3*USB 2.0                      HDMI-VGA-LAN Interface - p2p support</p> 	89,000,000
2	XVR5108HS-i3		<p>8CH <b>5M-N/1080P</b> non Real time recorder                      5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 8ch playback                      (IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 sata port up to 16 tb - 3*USB 2.0                      HDMI-VGA-LAN Interface - p2p support</p> 	132,000,000
3	XVR5116HS-I3		<p>16CH <b>5M-N/1080P</b> non Real time recorder                      5MN@10fps-4MN/1080p@15fps-1080N@25fps  <b>H265+</b> video compression - 16ch playback                      (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 sata port up to 16 tb - 3*USB 2.0                      HDMI-VGA-LAN Interface - p2p support</p> 	228,000,000

NO	Model	Appearance	Specification	price
1	XVR5104HS-4KL-i3		<p>4CH <b>4K-N/5MP</b> Real time recorder            4k@7fps-6MP@10fps-5mp@12fps-4mp@15fps  <b>H265+</b> video compression - 4ch playback            (IP+CVI+AHD+TVI+CVBS) 4+4 IP up to 8mp            1 sata port up to 16 tb - 1 Audio input - 1 Audio output  <b>HDMI(4K)-VGA-LAN</b> Interface(1000mb) - p2p support</p> 	120,000,000
2	XVR5108HS-4KL-I3		<p>8CH <b>4K-N/5MP</b> Real time recorder            4k@7fps-6MP@10fps-5mp@12fps-4mp@15fps  <b>H265+</b> video compression - 8ch playback            (IP+CVI+AHD+TVI+CVBS) 8+8 IP up to 8mp            1 sata port up to 16 tb - 1 Audio input - 1 Audio output  <b>HDMI(4K)-VGA-LAN</b> Interface(1000mb) - p2p support</p> 	190,000,000
3	DH-XVR5116HS-4KL-I3		<p>16CH <b>4K-N/5MP</b> Real time recorder  <b>H265+</b> video compression - 16ch playback            (IP+CVI+AHD+TVI+CVBS) 16+16 IP up to 8mp            1 Audio input - 1 Audio output - PTZ Support            1 sata port up to 16 tb - 3*USB3.0  <b>HDMI(4K)-VGA-LAN</b> Interface(1000mb) - p2p support</p> 	364,000,000

NO	Model	Appearance	Specification	price
1	XVR5216AN-I3		<p>16CH <b>5MP/N</b> NON Real time recorder  <b>H265+</b> video compression - 16ch playback                      (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp                      1 Audio input - 1 Audio output - PTZ Support                      1 SATA III Port, up to 16TB capacity for each HDD                      HDMI-VGA-LAN Interface - p2p support</p>  	307,000,000
2	XVR5216AN-4KL-I3		<p>16CH <b>4K-N/5MP</b> Real time recorder  <b>H265+</b> video compression - 16ch playback                      (IP+CVI+AHD+TVI+CVBS) 16+16 IP up to 8mp                      1 Audio input - 1 Audio output - PTZ Support                      2 SATA III Port, up to 10TB capacity for each HDD                      HDMI-VGA-LAN Interface - p2p support</p>  	438,000,000
3	XVR5232AN-i3		<p>32CH <b>5M-N/1080P</b> Real time recorder  <b>H265+</b> video compression - 32ch playback                      (IP+CVI+AHD+TVI+CVBS)                      1 Audio input - 1 Audio output - PTZ Support                      2 SATA III Port, up to 10TB capacity for each HDD                      2 HDMI-VGA-LAN Interface - p2p support</p>  	525,000,000

NO	Model	Appearance	Specification	price
1	XVR5232AN-4KL-I3		<p>32CH <b>4K-N/5MP</b> Real time recorder  <b>H265+</b> video compression - 32ch playback            (IP+CVI+AHD+TVI+CVBS) 32+32 IP up to 8mp            1 Audio input - 1 Audio output - PTZ Support            2 SATA III Port, up to 16TB capacity for each HDD            HDMI-VGA-LAN Interface - p2p support</p> <div data-bbox="1176 639 2128 699">  </div>	Call
2	XVR5432L-I3		<p>32CH <b>5M-N/1080P</b> Real time recorder  <b>H265+</b> video compression - 32ch playback            (IP+CVI+AHD+TVI+CVBS) 32+16 IP up to 6mp            1 Audio input - 1 Audio output - PTZ Support            4 SATA III Port, up to 16TB capacity for each HDD            2 HDMI-VGA-LAN Interface - p2p support</p> <div data-bbox="1176 1062 1915 1125">  </div>	Call

NO	Model	Appearance	Specification	price
1	LM19-A200		<p>19.5" Monitor                      Light and cost-effective plastic housing                      High fidelity digital processing for a brilliant and vivid video                      Low energy consumption, long service life                      Input VGA×1, HDMI×1                      Resolution 1600×900                      DC 12V, 2A</p> 	85,000,000
2	LM22-H200		<p>21.5" FHD LED Monitor                      5ms response time for no motion blur                      178°/178° extra-wide viewing                      Input VGA×1, HDMI×1                      Resolution 1920×1080 (FHD)                      DC 12V, 2A</p> 	100,000,000