
















NO	Model	Appearance	Specification	price
1	IPC-HDW1230T1-S5		<p>2MP Dome <b>Network Camera</b> 25/30fps@1080P            2.8 or 3.6mm, Max. IR LEDs Length <b>30m</b>, Smart IR            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case Plastic</p> 	47,000,000
2	IPC-HFW1230S1-S5		<p>2MP Bullet <b>Network Camera</b> 25/30fps@1080P            2.8 or 3.6 Max. IR LEDs Length <b>30m</b>, Smart IR            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal + plastic</p> 	47,000,000
3	IPC-HFW1239S1-LED-S5		<p>2MP Bullet <b>Network Camera</b> 25/30fps@1080P            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>20m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal + plastic</p> 	Call
4	IPC-HDW1239T1-LED-S5		<p>2MP Dome <b>Network Camera</b> 25/30fps@1080P            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>20m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case Plastic</p> 	Call

NO	Model	Appearance	Specification	price
1	 IPC-HDW2241E-S		2MP Dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8mm, Max. IR LEDs Length <b>30m</b> , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	73,000,000
2	 IPC-HFW2241S-S		2MP Bullet <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8mm or 3.6mm, Max. IR LEDs Length <b>30m</b> , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) WDR 120DB	73,000,000
3	IPC-HDPW1230R1-S5		2MP Dome <b>Network Camera</b> 25/30fps@1080P 2.8mm, Max. IR LEDs Length <b>30m</b> , Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) <b>Case Plastic</b>	51,000,000
4	 IPC-HDW1230T1-AS-S2		2MP Dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8mm, Max. IR LEDs Length <b>30m</b> , Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	54,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HDW2230TP-AS-S2		2MP Dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8mm, Max. IR LEDs Length <b>30m</b> , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	65,000,000
2	IPC-HFW1230TC1		2MP Bullet <b>Network Camera</b> 25/30fps@1080P 2.8 or 3.6 Max. IR LEDs Length <b>30m</b> , Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic	54,000,000
3	 IPC-HFW1239TL1-A-IL		2MP Bullet <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b> Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic	61,500,000
4	 DH-IPC-HDW1239V-A-IL		2MP dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b> Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal + plastic	61,500,000

1  IPC-HFW2239S-SA-LED-S2









2MP Bullet **Network Camera** 25/30fps@2MP  
 3.6mm or 2.8mm - Smart LED **warm light LED** Distance **20m**  
 Max. 256 G micro SD card WDR 120DB  
 Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)  
       Full-color 

Call

2 IPC-HFW2231TP-ZS-S2



2MP Bullet **Motorized** Bullet Network Camera 30fps@2MP  
 2.7-13.5mm, Max. IR LEDs Length **60m** Smart IR  
 Max. 256 G micro SD card / IK10  
 Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)  
      **starlight**

100,000,000

3  IPC-HFW2231T-AS-S2



2MP Bullet **Network Camera** 30fps@2MP **built in Mic**  
 3.6mm, Max. IR LEDs Length **80m**, Smart IR  
 Max. 256 G micro SD card WDR 120DB  
 Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)  
      **starlight**

63,000,000

4 HDBW2231F-AS-S2



































































2MP Dome **Network Camera** 25/30fps@1080P  
 2.2mm, Max. IR LEDs Length **30m**, Smart IR  
 Alarm: 1 in, 1 out; audio: 1 in, 1 out;  
 built-in Mic; supports max. 256 GB Micro SD card.  
 Ip67 - H.265+ - PoE - AI(Tripwire|Intrusion)  
      

Call































NO	Model	Appearance	Specification	price
1	ANPR camera TECHRA دوربین مخصوص پلاک خوان	 A white bullet-style ANPR camera with a black lens and a mounting bracket. The brand name "TECHRA" is visible on the side.	ANPR camera , 120 km/h in day - 100km/h in night 2MP Bullet <b>Network Camera</b> 30fps@2MP 16 mm fix lenz, Max. LEDs Length <b>50m</b> SUPPORT POE Ip67 - H.265+	93,000,000
2	ANPR camera TECHRA دوربین مخصوص پلاک خوان	 A white bullet-style ANPR camera with a black lens and a mounting bracket. The brand name "TECHRA" is visible on the side.	ANPR camera , 120 km/h in day - 100km/h in night 2MP Bullet <b>Network Camera</b> 30fps@2MP Motorized 5-50 mm lenz, Max. LEDs Length <b>50m</b> SUPPORT POE Ip67 - H.265+	168,000,000
3	TECHRA NVR16CH1H	 A black Network Video Recorder (NVR) with a sleek, rectangular design and a small display on the front.	H.265+/H.264+ codec decoding <b>HDMI 4K</b> Max <b>16 channel</b> IP camera inputs <b>Max 80 Mbps</b> incoming bandwidth <b>Up to 8MP</b> resolution preview&playback 10 CH face detection & 1000 face database 1 SATA III Port, up to 14TB capacity	75,000,000





NO	Model	Appearance	Specification	price
1	IPC-HDW1431T1-S4		<p>4MP Dome <b>Network Camera</b> 25/30fps@4MP            2.8mm, Max. IR LEDs Length <b>30m</b>, Smart IR            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> 	72,500,000
2	IPC-HFW1431S1P-S4		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP            3.6mm or 2.8mm, Max. IR LEDs Length <b>30m</b>, Smart IR            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> 	72,500,000
3	IPC-HFW1439S1-LED-S4		<p>4MP Bullet <b>Network Camera</b> 25/30fps@1080P            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>20m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal + plastic</p> 	Call
4	IPC-HDW1439T1-LED-S4		<p>4MP Dome <b>Network Camera</b> 25/30fps@1080P            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>20m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case Plastic</p> 	Call

NO	Model	Appearance	Specification	price
1	 <b>IPC-HFW2441S-S</b>		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP <b>built in Mic</b>            2.8mm or 3.6mm, Max. IR LEDs Length <b>30m</b>, Smart IR            Max. 256 G micro SD card            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal</p> <p>       <b>starlight</b> </p>	95,000,000
2	 <b>IPC-HDBW2441E-S</b>		<p>4MP Dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b>            2.8mm, Max. IR LEDs Length <b>30m</b>, Smart IR            Max. 256 G micro SD card            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal</p> <p>       <b>starlight</b> </p>	95,000,000
3	 <b>HFW1439TL1-A-IL</b>		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4mp <b>built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal + plastic</p> <p>       <b>Full-color</b> </p>	82,000,000
4	 <b>HDW1439V-A-IL</b>		<p>4MP dome <b>Network Camera</b> 25/30fps@4mp <b>built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal + plastic</p> <p>       <b>Full-color</b> </p>	82,000,000





































NO	Model	Appearance	Specification	price
1	 IPC-HFW2441T-ZS		4MP Bullet <b>Motorized</b> Bullet Network Camera 30fps@4MP 2.7-13.5mm, Max. IR LEDs Length <b>60m</b> Smart IR Max. 256 G micro SD card / IK10 Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       <b>starlight</b>	190,000,000
2	 IPC-HDW2441T-S		4MP Dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8mm, Max. IR LEDs Length <b>30m</b> , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)       <b>starlight</b>	95,000,000
3	 IPC-HDW1431T1-AS-S4		4MP Dome <b>Network Camera</b> 25/30fps@4MP <b>built in Mic</b> 2.8mm, Max. IR LEDs Length <b>30m</b> , Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)      	Call
4	 IPC-HDBW3441E-S-S2		4MP Dome <b>Network Camera</b> 25/30fps@1080P <b>built in Mic</b> 2.8mm, Max. IR LEDs Length <b>50m</b> , Smart IR Max. 256 G micro SD card H.265+ - PoE Ip67 - Ik10 - SMD 4.0 -AI(Tripwire Intrusion) Alarm: 1 in, 1 out ; audio: 1 in, 1 out      	151,000,000







NO	Model	Appearance	Specification	price
1	 IPC-HFW2441T-AS		<p>4MP Bullet <b>Network Camera</b> 15fps@4MP <b>built in Mic</b>            3.6mm, Max. IR LEDs Length <b>80m</b>, Smart IR            Max. 256 G micro SD card WDR 120DB            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <p>      <b>starlight</b></p>	130,000,000
2	 DH-IPC-HFW3449E-AS-LED		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP            3.6mm - Smart LED <b>warm light &amp; IR LED</b> Illumination Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <p>WDR 120DB</p> <p>      <b>Full-color</b></p>	167,000,000
3	 IPC-HFW2449S-S-IL		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <p>WDR 120DB</p> <p>      <b>Full-color</b></p>	107,000,000
4	 IPC-HDW2449T-S-IL		<p>4MP Dome <b>Network Camera</b> 25/30fps@4MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</p> <p>WDR 120DB</p>	107,000,000








NO	Model	Appearance	Specification	price
1	 IPC-HFW2449TL-S-PRO		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP <b>WizColor</b>            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>30m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB -SMD Plus</p>       	118,000,000
2	 IPC-HDW2449T-S-PRO		<p>4MP Dome <b>Network Camera</b> 25/30fps@4MP <b>WizColor</b>            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB</p>       	118,000,000
3	 IPC-HFW2449M-S-B-PRO		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP <b>WizColor</b>            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>50m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB -SMD Plus</p>       	127,000,000
4	 IPC-HDW2849T-S-PRO		<p>8MP Dome <b>Network Camera</b> 25/30fps@4MP <b>WizColor</b>            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB</p>       	182,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2449TL-S-PV		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>30m</b>  <b>built in Mic built-in speaker; support two-way</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)  <b>WDR 120DB - SMD - Max. 256 G micro SD card</b></p>       	129,000,000
2	IPC-HFW1431TC1		<p>4MP Bullet <b>Network Camera</b> 25/30fps@4mp            2.8 or 3.6 Max. IR LEDs Length <b>30m</b>, Smart IR            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)  <b>Case metal + plastic</b></p>      	Call
4	 HDBW1439E1-A-IL		<p>4MP dome <b>Network Camera</b> 25/30fps@4mp <b>built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)  <b>Case metal + plastic</b></p>       	82,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2549S-S-IL		<p>5MP Bullet <b>Network Camera</b> 25/30fps@5MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB</p> 	140,000,000
2	 IPC-HDW2549T-S-IL		<p>5MP Dome <b>Network Camera</b> 25/30fps@5MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB</p>	140,000,000
3	 IPC-HFW2849S-S-IL		<p>8MP Bullet <b>Network Camera</b> 25/30fps@8MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB</p> 	178,000,000
4	 IPC-HDW2849T-S-IL		<p>8MP Dome <b>Network Camera</b> 25/30fps@8MP            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>20m</b>            Max. 256 G micro SD card <b>built in Mic</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            WDR 120DB</p>	178,000,000

NO	Model	Appearance	Specification	price
1	 HFW1639TC-A-IL		<p><b>6MP Bullet Network Camera 25/30fps@6mp built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal</p>       	105,000,000
2	 HDW1639T-A-IL		<p><b>6MP dome Network Camera 25/30fps@6mp built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal</p>       	105,000,000
3	 HFW1839TC-A-IL		<p><b>8MP Bullet Network Camera 25/30fps@8mp built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal</p>       	140,000,000
4	 HDW1839T-A-IL		<p><b>8MP dome Network Camera 25/30fps@8mp built in Mic</b>            2.8 or 3.6 mm - Smart LED <b>warm light</b> Illumination Distance <b>30m</b>            Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)            Case metal</p>       	140,000,000

NO	Model	Appearance	Specification	price
1	 IPC-HFW2841T-AS		8MP Bullet <b>Network Camera</b> 15fps@8MP-4K <b>built in Mic</b> 3.6mm, Max. IR LEDs Length <b>80m</b> , Smart IR Max. 256 G micro SD card WDR 120DB Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	213,000,000
2	 IPC-HFW2841T-ZS		8MP Bullet <b>Motorized</b> Bullet Network Camera 30fps@8MP 2.7-13.5mm, Max. IR LEDs Length <b>60m</b> Smart IR <b>built in Mic</b> Max. 128 G micro SD card / IK10 Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	289,000,000
3	 IPC-HFW2841S-S		8MP Bullet <b>Network Camera</b> 15fps@8MP-4K <b>built in Mic</b> 3.6mm, Max. IR LEDs Length <b>30m</b> , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	150,000,000
4	 IPC-HDBW2841E-S		8MP Dome <b>Network Camera</b> 15fps@8MP-4K <b>built in Mic</b> 3.6mm, Max. IR LEDs Length <b>30m</b> , Smart IR Max. 256 G micro SD card Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)	150,000,000

NO	Model	Appearance	Specification	price
1	IPC-HDW1830T-S6		<p>8MP Dome <b>Network Camera</b> 25/30fps@8mp 4K 2.8 or 3.6mm, Max. IR LEDs Length <b>30m</b>, Smart IR Ip67 - H.265+ - PoE - AI(Tripwire Intrusion) Case metal</p> <div data-bbox="1198 534 1668 598"></div>	110,000,000
2				
3				
4				







NO	Model	Appearance	Specification	price
1  IPC-PFW3849S-A180-AS-PV		<p><b>2x4MP TiOC Duo Splicing Fixed-focal Bullet WizSense Camera</b> max. IR illumination and warm light distance is 20 m.            Alarm: 1 in, 1 out; audio: 1 in, 1 out;            supports max. 256 G Micro SD            Outputs <b>180° wide</b> angle splicing image.            built in dual <b>Mic</b>; built in <b>speaker</b>, support two-way talk.  <b>Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</b></p>	389,000,000	
2  IPC-HFW2849T-AS-IL		<p><b>8MP Bullet Network Camera 25/30fps@8MP built in Mic</b>            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>60m</b>            Max. 256 G micro SD card  <b>Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</b>            Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max  <b>WDR 120DB - IK10</b></p>	220,000,000	
3  IPC-HFW2449T-AS-IL		<p><b>4MP Bullet Network Camera 25/30fps@4MP built in Mic</b>            3.6mm or 2.8mm - Smart LED <b>warm light &amp; IR LED</b> Distance <b>60m</b>            Max. 256 G micro SD card  <b>Ip67 - H.265+ - PoE - AI(Tripwire Intrusion)</b>            Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max  <b>WDR 120DB - IK10</b></p>	143,000,000	

NO	Model	Appearance	Specification	price
1	SD49225XA-HNR-S		<p><b>2MP 25x Starlight IR WizSense Network PTZ Camera</b>  <b>1/2.8" 2Megapixel CMOS</b>  <b>Powerful 25x optical zoom</b>  <b>Starlight technology</b>  <b>Perimeter protection</b>  <b>PoE+ , IP66 , SMD PLUS</b>  <b>IR distance up to 100m</b></p> <div data-bbox="1176 630 1668 686">  </div>	Call
2	SD49825GB-HNR		<p><b>8MP 25x Starlight IR WizSense Network PTZ Camera</b>  <b>1/2.8" 8Megapixel STARVIS™ CMOS.</b>  <b>Powerful 25x optical zoom</b>  <b>Starlight technology</b>  <b>Perimeter protection</b>  <b>PoE+ , IP66 , SMD PLUS</b>  <b>IR distance up to 100m</b></p> <div data-bbox="1176 1061 1668 1117">  </div>	Call
3	SDT4E425-4F-GB-A-PV1		<p><b>2MP 25x Starlight IR WizSense Network PTZ Camera</b>  <b>1/2.8" 2Megapixel CMOS Auto tracking 3.0 Smart tracking</b>  <b>Powerful 25x optical zoom Panorama: 4 MP , Detail: 4 MP</b>  <b>Pattern; Preset; Scan; Tour SMD4.0</b>  <b>Perimeter protection 120 dB WDR</b>  <b>PoE+ , IP66 , SMD PLUS</b>  <b>IR distance up to 100m Smart dual light +.</b></p> <div data-bbox="1176 1508 1668 1564">  </div>	535,000,000

Smart Dual Light+

NO	Model	Appearance	Specification	price
1	SD6AL245XA-HNR		<p>2MP 45x Starlight IR <b>WizSense Network PTZ Camera</b>                      1/2.8" 2Megapixel STARVIS CMOS                      Powerful <b>45x optical zoom</b>                      Max 50/60 fps@1080P                      Starlight technology  <b>Auto-tracking &amp; face detection</b>                      PoE+ , IP66 , SMD PLUS &amp; Perimeter protection  <b>Lazer distance up to 550m</b> 2 IR Light &amp; 1 Laser</p> 	Call
2	SD5A432GB-HNR		<p>4MP 32x Starlight IR <b>WizSense Network PTZ Camera</b>                      1/2.8" 4Megapixel STARVIS CMOS                      Powerful <b>32x optical zoom</b>                      MaX 25/30 fps@4mp                      Starlight technology  <b>Auto-tracking 3.0 &amp; face detection</b>                      PoE+ , Ip67 , IK10 , SMD PLUS &amp; Perimeter protection  <b>IR distance up to 150m</b></p> 	1,000,000,000
3	SD5A445GB-HNR		<p>4MP 45x Starlight IR <b>WizSense Network PTZ Camera</b>                      1/2.8" 4 Megapixel STARVIS CMOS                      Powerful <b>45x optical zoom</b>                      Max 25/30 fps@4MP                      Starlight technology  <b>Auto-tracking 3.0</b> Face detection. SMD 4.0.                      PoE+ , <b>IP67, IK10</b> , &amp; Perimeter protection  <b>IR distance up to 150m</b></p> 	1,230,000,000

NO	Model	Appearance	Specification	price
1	SD49225DB-HNY		<p><b>2MP 25x Starlight IR WizSense Network PTZ Camera</b>  <b>1/2.8" 2Megapixel CMOS</b>  <b>Powerful 25x optical zoom</b>  <b>Starlight technology</b>  <b>Perimeter protection</b>  <b>PoE+ , IP66 , SMD PLUS</b>  <b>IR distance up to 100m</b></p> 	415,000,000
2	SDT3E410-8P-MB-A-PV1 		<p><b>8MP Panorama +4MP 10x Starlight TiOC &amp; PTZ Camera</b>  <b>Auto tracking Lite-Perimeter protection</b>  <b>10x optical zoom Panorama: 8 MP , Detail: 8 MP</b>  <b>Pattern; Preset; Scan; Tour SMD4.0</b>  <b>Perimeter protection 120 dB WDR</b>  <b>PoE+ , IP66 , SMD PLUS</b>  <b>IR distance up to 70 m Smart dual light +.</b></p> 	560,000,000

NO	Model	Appearance	Specification	price
1	NVR616H-128-XI		<p>H.265+ codec decoding <b>HDMI 4K</b>            Max <b>128 channel</b> IP camera inputs <b>AcuPick</b> with up to 64 ch            Max <b>1280/1280/1024</b> Mbps incoming incoming bandwidth  <b>Up to 12MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>16 SATA III</b> Port, up to <b>10TB</b> capacity for each HDD</p> 	Call
2	NVR616DR-128-4ks2		<p>H.265+ codec decoding <b>HDMI 4K</b>            Max <b>128 channel</b> IP camera inputs  <b>Max 384 Mbps</b> incoming bandwidth  <b>Up to 12MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>16 SATA III</b> Port, up to <b>10TB</b> capacity for each HDD</p> 	Call
3	NVR616-128-4KS2		<p>H.265+ codec decoding <b>HDMI 4K</b>            Max <b>128 channel</b> IP camera inputs  <b>Max 384 Mbps</b> incoming bandwidth  <b>Up to 12MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>16 SATA III</b> Port, up to <b>10TB</b> capacity for each HDD</p> 	Call

NO	Model	Appearance	Specification	price
1	NVR608-128-4KS2		<p>H.265+ codec decoding <b>HDMI 4K</b>            Max <b>128 channel</b> IP camera inputs            Max <b>384 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>8 SATA</b> III Port, up to <b>10TB</b> capacity for each HDD</p> 	Call
2	NVR608-64-4kS2		<p>H.265+ codec decoding <b>HDMI 4K</b>            Max <b>64 channel</b> IP camera inputs            Max <b>384 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>8 SATA</b> III Port, up to <b>10TB</b> capacity for each HDD</p> 	Call
3	NVR608-32-4KS2		<p>H.265+ codec decoding <b>HDMI 4K</b>            Max <b>32 channel</b> IP camera inputs            Max <b>384 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>8 SATA</b> III Port, up to <b>10TB</b> capacity for each HDD</p> 	Call

NO	Model	Appearance	Specification	price
1	NVR5864-EI		<p><b>32Mp</b> H.265+ codec decoding - <b>AI</b> by recorder <b>HDMI 4K</b>            Max <b>64 channel</b> IP camera inputs            Max <b>384 Mbps</b> incoming bandwidth            Up to <b>32MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>8 SATA</b> III Port, up to <b>16TB</b> capacity for each HDD</p> 	1,110,000,000
2	NVR5464-EI		<p><b>32Mp</b> H.265+ codec decoding - <b>AI</b> by recorder <b>HDMI 4K</b>            Max <b>64 channel</b> IP camera inputs            Max <b>384 Mbps</b> incoming bandwidth            Up to <b>32MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>4 SATA</b> III Port, up to <b>16TB</b> capacity for each HDD</p> 	870,000,000
3	NVR5832-EI		<p><b>32Mp</b> H.265+ codec decoding - <b>AI</b> by recorder <b>HDMI 4K</b>            Max <b>32 channel</b> IP camera inputs            Max <b>384 Mbps</b> incoming bandwidth            Up to <b>32MP</b> resolution preview&amp;playback            Up to 16ch@8MP/16ch@1080P decoding  <b>8 SATA</b> III Port, up to <b>16TB</b> capacity for each HDD</p> 	910,000,000

NO	Model	Appearance	Specification	price
1	NVR5432-EI		<p><b>32Mp</b> H.265+ codec decoding - <b>AI</b> by recorder <b>HDMI 4K</b>  <b>Max 32 channel</b> IP camera inputs  <b>Max 384 Mbps</b> incoming bandwidth  <b>Up to 32MP</b> resolution preview&amp;playback  <b>Up to 16ch@8MP/16ch@1080P</b> decoding  <b>4 SATA III</b> Port, up to <b>16TB</b> capacity for each HDD</p>	660,000,000
2	NVR5232-EI		<p><b>32Mp</b> H.265+ codec decoding - <b>AI</b> by recorder <b>HDMI 4K</b>  <b>Max 32 channel</b> IP camera inputs  <b>Max 384 Mbps</b> incoming bandwidth  <b>Up to 32MP</b> resolution preview&amp;playback  <b>Up to 16ch@8MP/16ch@1080P</b> decoding  <b>2 SATA III</b> Port, up to <b>16TB</b> capacity for each HDD</p>	440,000,000
3				



1 NVR4232-EI



H.265+/H.264+ codec decoding **HDMI 4K**  
 Max **32 channel** IP camera inputs  
 Max **256 Mbps** incoming bandwidth  
 Up to **16MP** resolution preview&playback  
 Up to 2ch@16MP/16ch@1080P decoding  
 2 SATA III Port, up to 16TB capacity for each HDD



290,000,000

2 NVR4432-EI



H.265+/H.264+ codec decoding **HDMI 4K**  
 Max **32 channel** IP camera inputs  
 Max **256 Mbps** incoming bandwidth  
 Up to **16MP** resolution preview&playback  
 Up to 2ch@16MP/16ch@1080P decoding  
 4 SATA III Port, up to 16TB capacity for each HDD



470,000,000

3 NVR4232-4KS3



H.265+/H.264+ codec decoding **HDMI 4K**  
 Max **32 channel** IP camera inputs  
 Max **200 Mbps** incoming bandwidth  
 Up to **12MP** resolution preview&playback  
 Up to 2ch@8MP/16ch@1080P decoding  
 2 SATA III Port, up to 20TB capacity for each HDD



265,000,000

1 DH-NVR5216-EI



H.265+/H.264+ codec decoding **HDMI 4K**  
 Max **16 channel** IP camera inputs  
 Max **384 Mbps** incoming bandwidth  
 Up to **32MP** resolution preview&playback  
 Up to 2ch@32MP/8ch@8MP decoding  
 2 SATA III Port, up to 20TB capacity for each HDD



400,000,000

2 DH-NVR4216-EI



H.265+/H.264+ codec decoding **HDMI 4K**  
 Max **16 channel** IP camera inputs  
 Max **256 Mbps** incoming bandwidth  
 Up to **16MP** resolution preview&playback  
 Up to 2ch@16MP/8ch@4MP decoding  
 2 SATA III Port, up to 16TB capacity for each HDD



216,000,000







3 DH-NVR4216HS-4KS3















H.265+/H.264+ codec decoding **HDMI 4K**  
 Max **16 channel** IP camera inputs  
 Max **160 Mbps** incoming bandwidth  
 Up to **12MP** resolution preview&playback  
 Up to 2ch@8MP/8ch@1080P decoding  
 2 SATA III Port, up to 20TB capacity for each HDD



194,000,000

NO	Model	Appearance	Specification	price
1	DH-NVR4116HS-2N-4KS3		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>            Max <b>16 channel</b> IP camera inputs            Max <b>160 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 1ch@8MP/8ch@1080P decoding            1 SATA III Port, up to 20TB capacity for each HDD  <b>2 PORT NETWORK 10/100</b></p> 	Call
2	DH-NVR4116HS-4KS3		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>            Max <b>16 channel</b> IP camera inputs            Max <b>160 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 1ch@12MP/8ch@1080P decoding            1 SATA III Port, up to 20TB capacity for each HDD</p> 	168,000,000
3	NVR2116HS-4KS3		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>            Max <b>16 channel</b> IP camera inputs            Max <b>144 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 1ch@12MP/6ch@1080P decoding            1 SATA III Port, up to 20TB capacity for each HDD</p> 	134,000,000

NO	Model	Appearance	Specification	price
1	NVR2116HS-S3		<p>H.265+/H.264+ codec decoding            Max <b>16 channel</b> IP camera inputs            Max <b>80 Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 1ch@8MP/6ch@1080P decoding            1 SATA III Port, up to 16TB capacity for each HDD</p> 	125,000,000
2	DH-NVR2216-I2		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>            Max <b>16 channel</b> IP camera inputs ONVIF; RTSP            Max <b>144Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 1ch@12MP/8ch@1080P decoding            2 SATA III Port, up to 10TB capacity for each HDD</p> 	179,000,000
3	DH-NVR5208-EI		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>            Max <b>8 channel</b> IP camera inputs            Supports AcuPick with up to 8 channels.            Up to <b>32MP</b> resolution preview&amp;playback            Max <b>384 Mbps</b> incoming bandwidth            1 SATA III Port, up to 16TB capacity for each HDD            Up to 2MP*32p@30 fps or 8 × 8MP@30 fps decoding</p> 	405,000,000

NO	Model	Appearance	Specification	price
1	DH-NVR4108-EI		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>                      Max <b>8 channel</b> IP camera inputs                      Max <b>80 Mbps</b> incoming bandwidth                      Up to <b>16MP</b> resolution preview&amp;playback                      Up to 2ch@16MP/8ch@4MP decoding                      1 SATA III Port, up to 20TB c</p> 	180,000,000
2	NVR2108HS-2N-4KS3		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>                      Max <b>8 channel</b> IP camera inputs                      Max <b>80 Mbps</b> incoming bandwidth                      Up to <b>12MP</b> resolution preview&amp;playback                      Up to 1ch@8MP/8ch@1080P decoding                      1 SATA III Port, up to 20TB capacity for each HDD  <b>2 PORT NETWORK 10/100</b></p> 	Call
3	DH-NVR4108HS-4KS3		<p>H.265+/H.264+ codec decoding <b>HDMI 4K</b>                      Max <b>8 channel</b> IP camera inputs ONVIF; RTSP                      Max <b>80Mbps</b> incoming bandwidth                      Up to <b>12MP</b> resolution preview&amp;playback                      Up to 2ch@8MP/8ch@1080P decoding                      1 SATA III Port, up to 20TB capacity for each HDD</p> 	131,000,000

1 DH-NVR1108HS-S3/H



H.265+/H.264+ codec decoding  
 Max 8 channel IP camera inputs ONVIF; RTSP  
 Max 80Mbps incoming bandwidth  
 Up to 8MP resolution preview&playback  
 Up to 2ch@8MP/8ch@1080P decoding  
 1 SATA III Port, up to 10TB



89,500,000

2 NVR2104HS-S3






H.265+/H.264+ codec decoding  
 Max 4 IP camera inputs ONVIF; RTSP  
 Max 80Mbps incoming bandwidth  
 Up to 12MP resolution preview&playback  
 Up to 2ch@8MP/8ch@1080P decoding  
 1 SATA III Port, up to 16TB



Call

3

NO	Model	Appearance	Specification	price
1	NVR2104HS-P-I2		<p>H.265+/H.264+ codec decoding            Max <b>4 channel poe</b> IP camera inputs ONVIF; RTSP            Max <b>80Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 2ch@8MP/8ch@1080P decoding            1 SATA III Port, up to 8TB            resolution of HDMI is 4K</p> 	131,000,000
2	NVR2104HS-I2		<p>H.265+/H.264+ codec decoding            Max 4 IP camera inputs ONVIF; RTSP            Max <b>80Mbps</b> incoming bandwidth            Up to <b>12MP</b> resolution preview&amp;playback            Up to 2ch@8MP/8ch@1080P decoding            1 SATA III Port, up to 8TB            resolution of HDMI is 4K</p> 	105,000,000
3	DH-NVR1104HS-S3/H		<p>H.265+/H.264+ codec decoding            Max <b>4 channel</b> IP camera inputs ONVIF; RTSP            Max <b>80Mbps</b> incoming bandwidth            Up to <b>8MP</b> resolution preview&amp;playback            Up to 2ch@8MP/8ch@1080P decoding            1 SATA III Port, up to 10TB</p> 	77,000,000

1

**KTP03 Pro****IP Video Intercom KIT**

IP Video Intercom KIT IP Villa Door Station  
Two-way audio and voice call through app.

Card unlock, unlock on the indoor monitor,  
and remote unlock through the App.

Supports 10000 cards.

Supports standard PoE power supply.

7" TFT capacitive touch screen, 1024 × 600

6-channel alarm input and 1-channel alarm output.

Door station and IPC monitor.

WIFI and PoE support

Built-in speaker

**237,000,000**