
















NO	Model	Appearance	Specification	price
1	PFS3005-4ET-36		<p>5-Port Fast Ethernet Switch with 4-Port PoE 10/100M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support PoE watchdog</p> 	31,000,000
2	PFS3006-4ET-36		<p>6-Port Fast Ethernet Switch with 4-Port PoE 10/100M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> 	32,500,000
3	CS4006-4ET-60		<p>6-Port Cloud Managed Desktop 60 watt 4*10/100M & 2*10/100/1000M PoE power supply ports . Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> 	38,000,000

NO	Model	Appearance	Specification	price
1	PFS3009-8ET-65		<p>9-Port Fast Ethernet Switch with 8-Port PoE 10/100M PoE power supply ports .</p> <p>Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support PoE watchdog</p> 	46,500,000
2	CS4010-8ET2GT-60		<p>10-Port Cloud Managed Desktop 65 watt 8*10/100M & 2*10/100/1000M PoE power supply ports .</p> <p>Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> 	58,000,000
3	CS4010-8ET-110		<p>10-Port Cloud Managed Desktop 110 watt 8*10/100M & 2*10/100/1000M PoE power supply ports .</p> <p>Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog</p> 	66,000,000

NO	Model	Appearance	Specification	price
1	CS4218-16ET-135		<p>16-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 16*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity</p>	168,000,000
2	PFS4218-16ET-190		<p>16-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 16*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog LED indicators for monitoring power, link and activity</p>	Call

NO	Model	Appearance	Specification	price
1	PFS4218-16GT-190		<p>16-Port PoE Gigabit Managed Switch Hi-PoE 60W 16*10/100/1000Mbps ports, 2*Gigabit uplink port Layer 2 network management PoE switch OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog Switching Capacity 52Gbps LED indicators for monitoring power, link and activity</p>	270,000,000
2	CS4226-24ET-240		<p>24-Port FE PoE+ 2-Port Gigabit Combo PoE Switch 24*10/100Mbps ports, 2*Gigabit Combo port Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C Support 250 m long distance PoE tansmission Support PoE watchdog & red port Support 90w LED indicators for monitoring power, link and activity</p>	199,000,000

1 PFS3005-5ET-L



5-Port Fast Ethernet Switch 10/100M
Support 802.3af and 802.3at standards
Operating Temperature: -10°C to +55°C



6,300,000

2 PFS3008-8ET-L



8-Port Fast Ethernet Switch 10/100M
Support 802.3af and 802.3at standards
Operating Temperature: -10°C to +55°C



7,500,000

3

1 PFS3005-5GT-L



5-Port Fast Ethernet Switch 10/100/1000M
Support 802.3af and 802.3at standards
OperatingTemperature: -10°C to +55°C



11,000,000

2 PFS3008-8GT-L









8-Port Fast Ethernet Switch 10/100/1000M
Support 802.3af and 802.3at standards
OperatingTemperature: -10°C to +55°C



14,000,000

3

NO	Model	Appearance	Specification	price
1	DS-3E1105P-EI V2		<p>4 Port Fast Ethernet Smart POE Switch 4 × 10/100 Mbps PoE port, 1 × 10/100 Mbps RJ45 port 6 KV surge protection for PoE ports. Total PoE Power Budget 60W Support 802.1Q VLAN Support PoE watchdog Support STP/RSTP Loop prevention Support cable detection to locate failure Up to 300 m Long Range PoE Transmission</p>	33,000,000
2	DS-3E1106P-EI		<p>6 Port Fast Ethernet Smart POE Switch 4 × 10/100 Mbps PoE port, 2 × 10/100 Mbps RJ45 port 6 KV surge protection for PoE ports. Total PoE Power Budget 60W Support 802.1Q VLAN Support PoE watchdog Support STP/RSTP Loop prevention Support cable detection to locate failure Up to 300 m Long Range PoE Transmission</p>	37,000,000
3	DS-3E1309P-EI/M		<p>9 Port Fast Ethernet Smart POE Switch 8 × 10/100 Mbps PoE ports, 1 × Gigabit RJ45 port Total PoE Power Budget 60 W Support 802.1Q VLAN Support PoE watchdog Support STP/RSTP Loop prevention Support cable detection to locate failure Up to 300 m Long Range PoE Transmission 6 kV Surge Protection</p>	59,500,000

NO	Model	Appearance	Specification	price
1	DS-3E1310P-EI/M		<p>8 Port Fast Ethernet Smart POE Switch 8 × 10/100 Mbps PoE ports, 2 × Gigabit RJ45 port Total PoE Power Budget 60 W Support 802.1Q VLAN Support PoE watchdog Support STP/RSTP Loop prevention Support cable detection to locate failure Up to 300 m Long Range PoE Transmission 6 kV Surge Protection</p>	69,000,000
2	DS-3E1318P-EI/M		<p>16 Port Fast Ethernet Smart POE Switch 16 × 10/100M PoE ports, 2 × Gigabit RJ45 port, 1 × Gigabit combo Total PoE Power Budget 130 W Support 802.1Q VLAN Support PoE watchdog Support STP/RSTP Loop prevention Support cable detection to locate failure Up to 300 m Long Range PoE Transmission 6 kV Surge Protection</p>	184,000,000
3	DS-3E1326P-EI (B)		<p>24 Port Fast Ethernet Smart POE Switch 24 × 10/100M PoE ports, 2 × Gigabit RJ45 port, 2 × Gigabit combo Total PoE Power Budget 370 W Support 802.1Q VLAN Support PoE watchdog Support STP/RSTP Loop prevention Support cable detection to locate failure Up to 300 m Long Range PoE Transmission 6 kV Surge Protection</p>	263,000,000

1 DS-3E0505D-E



5 Port Gigabit Unmanaged Desktop Switch
5 x 10/100/1000 Mbps ethernet ports
Supports ADI/ADIX
Store-and-forward switching
Supports MAC address auto-learning and aging
Simple, compact body design
Supports desktop and wall-mounting
Plug & play, easy to use.

15,600,000



2 DS-3E0508D-E




8 Port Gigabit Unmanaged Desktop Switch
8 x 10/100/1000 Mbps ethernet ports
Supports ADI/ADIX
Store-and-forward switching
Supports MAC address auto-learning and aging
Simple, compact body design
Supports desktop and wall-mounting
Plug & play, easy to use.

25,700,000

3

NO	Model	Appearance	Specification	price
1	DS-3E0516-E(B)		16 Port Gigabit Unmanaged Switch 16 x Gigabit Ethernet port Supports IEEE 802.3, IEEE 802.3u and IEEE 802.3x Gigabit network access Wire-speed forwarding and non-blocking design Store-and-forward switching Solid high-strength metal shell Fan-free design with high reliability	74,000,000
2	DS-3E0524-E(B)		24 Port Gigabit Unmanaged Switch 24 x Gigabit Ethernet port Supports IEEE 802.3, IEEE 802.3u and IEEE 802.3x Gigabit network access Wire-speed forwarding and non-blocking design Store-and-forward switching Solid high-strength metal shell Fan-free design with high reliability	100,000,000
3				

1 HR900-AF-42N



4-Port PoE + 2-Port uplink
 6*10/100Mbps Ai poe switch
 Support 802.3af and 802.3at standards
 OperatingTemperature: -20°C to +50°C
 Support PoE **watchdog**
 LED indicators for monitoring power, link and activity



2 HR900-AF-82N



8-Port PoE + 2-Port uplink
 10*10/100Mbps Ai poe switch
 Support 802.3af and 802.3at standards
 OperatingTemperature: -20°C to +50°C
 Support PoE **watchdog**
 LED indicators for monitoring power, link and activity










3 HR902-AF-42N








4-Port PoE + 2-Port uplink
 6*10/100Mbps Ai poe switch
 Support 802.3af and 802.3at standards
 OperatingTemperature: -20°C to +50°C
 Support PoE **watchdog**
 LED indicators for monitoring power, link and activity







NO	Model	Appearance	Specification	price
1	HR902-AF-82N		<p>8-Port PoE + 2-Port uplink 10*10/100Mbps Ai poe switch Support 802.3af and 802.3at standards OperatingTemperature: -20°C to +50°C Support PoE watchdog LED indicators for monitoring power, link and activity</p> 	35,900,000
2	HR902-AF-162G-200		<p>16-Port PoE + 2-Port uplink + 1 port uplink SFP (Fibr) 16*10/100Mbps + 2*10/100/1000Mbps Ai poe switch Support 802.3af and 802.3at standards OperatingTemperature: -20°C to +50°C LED indicators for monitoring power, link and activity</p> 	105,000,000
3	HR902-AF-162G-300		<p>16-Port PoE + 2-Port uplink 16*10/100Mbps + 2*10/100/1000Mbps Ai poe switch Support 802.3af and 802.3at standards OperatingTemperature: -20°C to +50°C Support PoE watchdog - 7.2 gbps LED indicators for monitoring power, link and activity</p> 	Call

NO	Model	Appearance	Specification	price
1	HR900-AF-2421GS-300		<p>16-Port PoE + 2-Port uplink + 1 port uplink SFP (Fibr) 16*10/100Mbps + 2*10/100/1000Mbps Ai poe switch Support 802.3af and 802.3at standards OperatingTemperature: -20°C to +50°C Support PoE watchdog - 10.8 gbps LED indicators for monitoring power, link and activity</p>	Call
2				
3				



NO	Model	Appearance	Specification	price
1	Ls1005		<p>5-Port Fast Ethernet Switch 10/100M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C</p> 	Call
2	Ls1008		<p>8-Port Fast Ethernet Switch 10/100M Support 802.3af and 802.3at standards OperatingTemperature: -10°C to +55°C</p> 	Call
3	M920 DLINK		<p>3× 10/100 Mbps LAN ports 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C</p>	Call

NO	Model	Appearance	Specification	price
1	Mr105 4G		<p>1× 10/100 Mbps LAN ports, 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C</p>	53,000,000
2	Mr100 4G		<p>1× 10/100 Mbps LAN ports + 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C</p>	Call
3				

NO	Model	Appearance	Specification	price
1	Mr202 4G		<p>3× 10/100 Mbps LAN ports + 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz</p> <p>Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C</p>	67,500,000
2	Mr402 4G		<p>3× 10/100 Mbps LAN ports + 1× 10/100 Mbps LAN/WAN Port 1× Nano SIM Card Slot download speeds of up to 150 Mbps 2× Detachable External 4G LTE Antennas 300 Mbps at 2.4 GHz</p> <p>Virtual Server, Port Triggering, UPnP, DMZ Supports IPv4 and Ipv6 Operating Temperature: 0°C~40°C</p>	72,500,000

1

LHG 5

Dual chain 24.5dBi 5GHz CPE/Point-to-Point Integrated Antenna,
600Mhz CPU, 64MB RAM



113,000,000

2

SXTsq Lite5

Low-cost small-size 16dBi 5GHz dual chain integrated CPE/Backbone



72,000,000

3

OmniTIK 5 ac

7.5dBi Integrated AP, 5GHz Dual chain with 802.11ac support, 5x
Gigabit Ethernet ports



Call

NO	Model	Appearance	Specification	price
----	-------	------------	---------------	-------

1

SXTsq 5 ac

Low-cost small-size 16dBi 5GHz dual chain integrated CPE/Backbone with AC support and Gigabit Ethernet



Call

2

SXT SA5 ac

802.11ac up to 540Mbit, high output, wide beamwidth sector antenna



Call

3