


























































NO	Model	Appearance	Specification	price
1	UAC-B112-F28(40)		<p>2MP Bullet Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lenth 20m - Smart IR Case plastic - IP67</p>   	18,500,000
2	UAC-T112-F28(40)		<p>2MP Dome Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lenth 20m - Smart IR Case plastic - IP67</p>   	18,500,000
3	UAC-B112-F28(40)-W		<p>2MP ColorHunter Bullet Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX white light led 20m - ColourHunter Case plastic - IP67</p>    	28,500,000
4	UAC-T112-F28(40)-W		<p>2MP ColorHunter Dome Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX white light led 20m - ColourHunter Case plastic - IP67</p>    	28,500,000




































NO	Model	Appearance	Specification	price
1	 UAC-B122-F28(40)-W		<p>2MP ColorHunter Bullet Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz - built in mic MAX white light led 40m - ColourHunter Case metal - IP67</p>    	44,000,000
2	 UAC-T122-F28(40)-W		<p>2MP ColorHunter Dome Resolution MAX 30fps@1080P CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz - built in mic MAX white light led 40m- ColourHunter Case metal - IP67</p>    	44,000,000
3				
4				



NO	Model	Appearance	Specification	price
1	UAC-B115-F28(40)		<p>5MP Bullet Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lenth 20m - Smart IR Case plastic - IP67</p>   	32,000,000
2	UAC-T115-F28(40)		<p>5MP Dome Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR lenth 20m - Smart IR Case plastic - IP67</p>   	32,000,000
3	UAC-B115-F28(40)-W		<p>5MP Bullet Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR LED 20m - ColourHunter Case plastic - IP67</p>    	38,000,000
4	UAC-T115-F28(40)-W		<p>5MP Dome Resolution MAX 30fps@5mp CVI-AHD-TVI-CVBS switchable 2.8mm or 4mm Fix lenz MAX IR LED 20m - ColourHunter Case plastic - IP67</p>    	38,000,000


NO	Model	Appearance	Specification	price
1	XVR301-04G3		<p>4CH 5Mp-Lite/1080P non Real time recorder 5MN@30fps-4MN/1080p@30fps-1080N@30fps H265+ video compression - 4ch playback (IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 6mp 1 Audio input - 1 Audio output - PTZ Support 1 sata port up to 8 tb - 2*USB 2.0 HDMI-VGA-LAN Interface - p2p support</p>	67,500,000
2	XVR301-08G3		<p>8CH 5Mp-Lite/1080P non Real time recorder 5Mp/Lite@12fps - 4Mp/Lite@15fps - 1080p@30fps H265+ video compression - 8ch playback (IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 6mp 1 Audio input - 1 Audio output - PTZ Support 1 sata port up to 8 tb - 2*USB 2.0 HDMI-VGA-LAN Interface - p2p support</p>	77,500,000
3	XVR301-16G3		<p>16CH 5Mp-Lite/1080P non Real time recorder 5Mp/Lite@12fps - 4Mp/Lite@15fps - 1080p@30fps H265+ video compression - 4ch playback (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 6mp 1 Audio input - 1 Audio output - PTZ Support 1 sata port up to 8 tb - 2*USB 2.0 HDMI-VGA-LAN Interface - p2p support</p>	128,000,000





NO	Model	Appearance	Specification	price
1	XVR301-04Q3		<p>4CH 8Mp Real time recorder 8MP Lite@8fps - 5MP Lite@12fps - 1080P@15fps H265+ video compression - 4ch playback (IP+CVI+AHD+TVI+CVBS) 4+2 IP up to 8mp 4 Audio input - 1 Audio output - PTZ Support 1 sata port up to 16 tb - 2*USB 2.0 Analog Smart by XVR (UMD)-Face Detection HDMI 4K -VGA-LAN Interface - p2p support</p>	91,000,000
2	XVR301-08Q3		<p>8CH 8Mp Real time recorder 8MP Lite@8fps - 5MP Lite@12fps - 1080P@15fps H265+ video compression - 8ch playback (IP+CVI+AHD+TVI+CVBS) 8+4 IP up to 8mp 8 Audio input - 1 Audio output - PTZ Support 1 sata port up to 16 tb - 2*USB 2.0 Analog Smart by XVR (UMD)-Face Detection HDMI 4K -VGA-LAN Interface - p2p support</p>	121,000,000
3	XVR301-16Q3		<p>16CH 8Mp Real time recorder 8MP Lite@8fps - 5MP Lite@12fps - 1080P@15fps H265+ video compression - 16ch playback (IP+CVI+AHD+TVI+CVBS) 16+8 IP up to 8mp 8 Audio input - 1 Audio output - PTZ Support 1 sata port up to 16 tb - 2*USB 2.0 Analog Smart by XVR (UMD)-Face Detection HDMI 4K -VGA-LAN Interface - p2p support</p>	call

NO	Model	Appearance	Specification	price
1	IPC2122LB-SF28(40)-A		<p>2MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case carbon</p> 	39,500,000
2	IPC322LB-SF28(40)-A		<p>2MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case Metal + Plastic IK10 vandal resistant</p> 	39,500,000
3	 IPC322LB-SF28(40)K-A		<p>2MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR - Built-in Mic case Metal + Plastic IK10 vandal resistant</p> 	48,500,000
4				




NO	Model	Appearance	Specification	price
1	 IPC2122LB-AF28(40)K-DL		2MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light & IR , up to 30m Ip67 - H.265+ - PoE - Built-in Mic case carbon - 512G Micro SD        	65,000,000
2	 IPC3612LB-AF28K-DL		2MP DOME Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Warm Light, up to 30m Ip67 - H.265+ - PoE - Smart IR Built-in Mic case Metal + Plastic - 512 G Micro SD       	63,000,000
3	 IPC2314LE-ADF28(40)KM-WP		4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - 512 G Micro SD          	116,000,000
4	 IPC3624LE-ADF28(40)K-WP		4MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - 512 G Micro SD         	110,000,000

NO	Model	Appearance	Specification	price
1	IPC2124LB-SF28(40)-A		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case carbon</p> 	65,000,000
2	IPC324LB-SF28(40)-G		<p>4MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case Metal + Plastic</p> 	65,000,000
3	 IPC2124LE-ADF28(40)KM-H		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 50m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - 512 G Micro SD</p> 	87,500,000
4	IPC324LE-DSF28(40)		<p>4MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR case Metal - 512G Micro SD</p> 	87,500,000

NO	Model	Appearance	Specification	price
1	IPC2124LE-ADF28(40)KMC-DL		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE - Built-in Mic & Speaker case Metal- 512 G Micro SD 120dB WDR</p> 	99,000,000
2	IPC3614LE-ADF28(40)KC-DL		<p>4MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Warm Light, up to 30m Ip67 - H.265+ - PoE - Smart IR Built-in Mic & Speaker case Metal + Plastic - 512 G Micro SD 120dB WDR</p> 	99,000,000
3	IPC2124LB-AF28(40)K-DL		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light & IR, up to 30m Ip67 - H.265+ - PoE - Built-in Mic case carbon - 512G Micro SD</p> 	69,000,000
4	IPC3614LB-AF28K-DL		<p>4MP DOME Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Warm Light, up to 30m Ip67 - H.265+ - PoE - Smart IR Built-in Mic case Metal + Plastic - 512 G Micro SD</p> 	69,000,000
















NO	Model	Appearance	Specification	price
1	 IPC2314LE-ADF28(40)KM-WP-L		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case PLASTIC - 512 G Micro SD</p>	97,000,000
2	 IPC2124LE-ADF28(40)KMC-WL		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, White Light, up to 30m , 120dB true WDR Ip67 - H.265+ - PoE - Built-in Mic & Speaker case Metal - 512 G Micro SD</p>	call
3				
4				






NO	Model	Appearance	Specification	price
1	IPC2125LE-ADF28(40)KM-G		<p>5MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 50m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - 512 G Micro SD</p> 	123,000,000
2	IPC325LE-DSF28(40)		<p>5MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR case Metal - 512G Micro SD</p> 	123,000,000
3	IPC2125LB-SF28(40)-A		<p>5MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case carbon</p> 	78,500,000
4	IPC325LB-SF28(40)-A		<p>5MP Dome Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m Ip67 - H.265+ - PoE - Smart IR case Metal + Plastic IK10 vandal resistant</p> 	78,500,000




NO	Model	Appearance	Specification	price
1	 IPC2128LE-ADF28(40)KM-G		<p>8MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 50m , 120dB true WDR H.265+ - PoE - Smart IR -Built-in Mic case Metal - 512G Micro SD - - IP67</p> <div data-bbox="1153 542 1937 614"> 4MP Edge Storage IP 67 POE Ultra H.265 Smart Search Intrusion Detection Cross Line Detection WDR Built-in Mic </div>	174,000,000
2	 IPC328LE-ADF28(40)K-G		<p>8MP DOME Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m , 120dB true WDR H.265+ - PoE - Smart IR -Built-in Mic case Metal - 512G Micro SD- Ik10 - IP67</p> <div data-bbox="1153 861 1937 933"> 4MP Edge Storage IP 67 POE Ultra H.265 Smart Search Intrusion Detection Cross Line Detection WDR Built-in Mic </div>	174,000,000
3	 IPC2125LR3-PF40M-D		<p>5MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 30m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR case Metal</p> <div data-bbox="1153 1181 1702 1252"> 4MP IP 67 POE Ultra H.265 Smart Search Intrusion Detection Cross Line Detection </div>	91,000,000




NO	Model	Appearance	Specification	price
1	IPC2324SB-DZK-I0		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor Max IR LED Length 50m , 120dB true WDR IK10 vandal Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - Motorized 2.8~12 mm 512G Micro SD</p> <div data-bbox="1153 534 1870 614"> <p>4 MP Edge Storage IP 67 POE Ultra H.265 Infrared Detection Cross Line detection WDR Built-in Mic</p> </div>	254,000,000
2	IPC2324LB-ADZK-H		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor Max IR LED Length 50m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in Mic case Metal - Motorized 2.8~12 mm 512G Micro SD</p> <div data-bbox="1153 837 1870 917"> <p>4 MP Edge Storage IP 67 POE Ultra H.265 Infrared Detection Cross Line detection WDR Built-in Mic</p> </div>	162,000,000
3	IPC2314SB-ADF40(60)KM-I0		<p>4MP Bullet Network Camera 25/30fps , CMOS sensor 2.8mm or 4mm, Max IR LED Length 80m , 120dB true WDR Ip67 - H.265+ - PoE - Smart IR -Built-in 2 Mic case Metal - Big Case - 512G Micro SD</p> <div data-bbox="1153 1157 1937 1236"> <p>4 MP Edge Storage IP 67 POE Ultra H.265 80 IR distance Infrared Detection Cross Line detection WDR Built-in Mic</p> </div>	Call
4				



NO	Model	Appearance	Specification	price
1	IPC6424SR-X25-VF		<p>4MP 25x Lighthunter Network PTZ Dome Camera 25X Optical Zoom- Smart IR, up to 100m IR Ip67- IK10 - H.265+ - PoE - Smart IR 120dB true WDR , Micro SD up to 512GB</p> <div data-bbox="1153 534 1691 614">        </div>	685,000,000
2	IPC6612SR-X25-VG		<p>2MP 25x Lighthunter Network PTZ Dome Camera 25X Optical Zoom- Smart IR, up to 150m IR Ip66 - H.265+ - PoE - Smart IR 120dB true WDR , Micro SD up to 512 GB</p> <div data-bbox="1153 853 1624 933">       </div>	Call
3				
4				

NO	Model	Appearance	Specification	price
1	NVR301-04S3		<p>H.265+/H.264+ codec decoding Max 4 channel IP camera inputs Max 64 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding 1 SATA III Port, up to 8TB HDMI 4K</p>	81,000,000
2	NVR301-08S3		<p>H.265+/H.264+ codec decoding Max 8 channel IP camera inputs Max 64 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 10TB</p>	95,000,000
3	NVR301-16S3		<p>H.265+/H.264+ codec decoding Max 16 channel IP camera inputs Max 64 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 1 SATA III Port, up to 10TB</p>	120,000,000

NO	Model	Appearance	Specification	price
1	NVR301-04LS3-P4		<p>H.265+/H.264+ codec decoding Max 4 channel IP camera inputs 4ch poe support Max 30W for single port - Max 54W in total Max 64 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding 1 SATA III Port, up to 6TB HDMI 4K</p>	103,000,000
2	NVR301-08LS3-P8		<p>H.265+/H.264+ codec decoding Max 8 channel IP camera inputs 8ch poe support Max 30W for single port - Max 100W in total Max 64 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/4ch@1080P decoding 1 SATA III Port, up to 10TB HDMI 4K</p>	169,000,000
3	NVR302-16S2		<p>H.265+/H.264+ codec decoding Max 16 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 2 SATA port, up to 8TB for each HDD HDMI 4K</p>	Call

NO	Model	Appearance	Specification	price
1	NVR302-16B-IQ		<p>H.265+/H.264+ codec decoding Max 16 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@12MP/8ch@1080P decoding 2 SATA port, up to 10TB for each HDD HDMI 4K</p>	210,000,000
2	NVR302-32S		<p>H.265+/H.264+ codec decoding Max 32 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 2 SATA port, up to 8TB for each HDD HDMI 4K</p>	Call
3	NVR302-32B-IQ		<p>H.265+/H.264+ codec decoding Max 32 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@12MP/8ch@1080P decoding 2 SATA port, up to 10TB for each HDD HDMI 4K</p>	280,000,000

NO	Model	Appearance	Specification	price
1	NVR304-32S		<p>H.265+/H.264+ codec decoding Max 32 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 8MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 4 SATA port, up to 8TB for each HDD HDMI 4K</p>	Call
2	NVR304-32X		<p>H.265+/H.264+ codec decoding Max 32 channel IP camera inputs Max 384 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 4 SATA port, up to 8TB for each HDD 2 ch HDMI, 1 ch VGA. HDMI1 and HDMI2 up to 4K</p>	Call
3	NVR304-32B-IQ		<p>H.265+/H.264+ codec decoding Max 32 channel IP camera inputs Max 160 Mbps incoming bandwidth Up to 12MP resolution preview&playback Up to 1ch@12MP/8ch@1080P decoding 4 SATA port, up to 10TB for each HDD HDMI 4K</p>	360,000,000

NO	Model	Appearance	Specification	price
1	NVR504-32B		<p>H.265+/H.264+ codec decoding Max 32channel IP camera inputs Max 320 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 4 SATA port, up to 16TB for each HDD HDMI 4K</p>	402,000,000
2	NVR508-64B		<p>H.265+/H.264+ codec decoding Max 64 channel IP camera inputs Max 320 Mbps incoming bandwidth Up to 16MP resolution preview&playback Up to 1ch@8MP/8ch@1080P decoding 8 SATA port, up to 16TB for each HDD HDMI 4K</p>	877,000,000